

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

PRODUCT INFORMATION



Gemigliptin (tartrate)

Item No. 36016

CAS Registry No.:	1374639-74-3	
Formal Name:	1-[(2S)-2-amino-4-[5,8-dihydro-	
	2,4- <i>bis</i> (trifluoromethyl)pyrido[3,4-d] pyrimidin-7(6H)-yl]-4-oxobutyl]-5,5- difluoro-2-piperidinone, (2R,3R)-2,3- dihydroxybutanedioate	F F F
MF:	$C_{18}H_{19}F_8N_5O_2 \bullet XC_4H_6O_6$	
FW:	489.4	
Purity:	≥98%	
Supplied as:	A solid	• XC ₄ H ₆ O ₆
Storage:	-20°C	
Stability:	≥4 years	

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Gemigliptin (tartrate) is supplied as a solid. A stock solution may be made by dissolving the gemigliptin (tartrate) in the solvent of choice, which should be purged with an inert gas. Gemigliptin (tartrate) is soluble in organic solvents such as DMSO and dimethyl formamide. The solubility of gemigliptin (tartrate) in these solvents is approximately 10 and 25 mg/ml, respectively. Gemigliptin (tartrate) is also slightly soluble in ethanol.

Further dilutions of the stock solution into aqueous buffers or isotonic saline should be made prior to performing biological experiments. Ensure that the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. Organic solvent-free aqueous solutions of gemigliptin (tartrate) can be prepared by directly dissolving the solid in aqueous buffers. The solubility of gemigliptin (tartrate) in PBS (pH 7.2) is approximately 1 mg/ml. We do not recommend storing the aqueous solution for more than one day.

Description

Gemigliptin is an inhibitor of dipeptidyl peptidase 4 (DPP-4; $IC_{50} = 0.01 \mu M$).¹ It is selective for DPP-4 over DPP-8, DPP-9, and fibroblast activation protein- α (FAP- α ; IC₅₀S = 277.28, 233.72, 418.43 μ M, respectively). Gemigliptin inhibits DPP-4 activity in isolated human, rat, dog, and monkey plasma (IC_{50} s = 11.5, 14.5, 14.5, and 14 nM, respectively). It scavenges methylglyoxal in vitro and inhibits advanced glycation end product (AGE) formation between BSA and methylglyoxal and cross-linking of AGE-BSA with rat tail tendon collagen (IC₅₀s = 1.15, 11.69, and 1.39 mM, respectively).² Gemigliptin (100 mg/kg) reduces the levels of circulating AGE and red blood cell IgG content in a db/db mouse model of diabetes when administered for 12 weeks. It decreases blood glucose and hemoglobin A1c (HbA1c) levels and reduces pancreatic β-cell damage in a dose-dependent manner in a mouse model of diabetes induced by a high-fat diet and streptozotocin (STZ; Item No. 13104).¹ Gemigliptin also induces cytotoxicity in SW1736 and TPC-1 human thyroid cancer cells.^{3,4} Formulations containing gemigliptin have been used in the treatment of type 2 diabetes.

References

- 1. Kim, S.-H., Jung, E., Yoon, M.K., et al. Eur. J. Pharmacol. 788, 54-64 (2016).
- 2. Jung, E., Kim, J., Kim, S.H., et al. Eur. J. Pharmacol. 744, 98-102 (2014).
- 3. Kim, S.H., Kang, J.G., Kim, C.S., et al. J. Endocrinol. Invest. 41(6), 677-689 (2018).
- 4. Kim, S.H., Kang, J.G., Kim, C.S., et al. Endocrine 59(2), 383-394 (2018).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFFTY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

uyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 12/15/2022

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM