

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



## Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

## SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



# PRODUCT INFORMATION



## p-Nitrophenyl β-D-Galactopyranoside

Item No. 36160

CAS Registry No.: 3150-24-1

Formal Name: 4-nitrophenyl β-D-galactopyranoside

Synonyms: p-Nitrophenyl β-D-galactoside,

pNPGal, NSC 89287, PNPG

MF: C<sub>12</sub>H<sub>15</sub>NO<sub>8</sub> 301.3 FW: ≥98% **Purity:** 

UV/Vis.:  $\lambda_{max}$ : 220, 303 nm

Supplied as: A solid Storage: -20°C Stability: ≥4 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

### **Laboratory Procedures**

p-Nitrophenyl β-D-galactopyranoside is supplied as a solid. A stock solution may be made by dissolving the p-nitrophenyl β-D-galactopyranoside in the solvent of choice, which should be purged with an inert gas. p-Nitrophenyl  $\beta$ -D-galactopyranoside is soluble in organic solvents such as DMSO and dimethyl formamide. The solubility of p-nitrophenyl  $\beta$ -D-galactopyranoside in these solvents is approximately 10 and 11 mg/ml, respectively, p-Nitrophenyl β-D-galactopyranoside is slightly soluble in ethanol.

Further dilutions of the stock solution into aqueous buffers or isotonic saline should be made prior to performing biological experiments. Ensure that the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. Organic solvent-free aqueous solutions of p-nitrophenyl β-D-galactopyranoside can be prepared by directly dissolving the solid in aqueous buffers. The solubility of p-nitrophenyl  $\beta$ -D-galactopyranoside in PBS (pH 7.2) is approximately 0.09 mg/ml. We do not recommend storing the aqueous solution for more than one day.

#### Description

p-Nitrophenyl β-D-galactopyranoside is a chromogenic substrate for β-D-galactosidase. <sup>1</sup> Upon enzymatic cleavage by  $\beta$ -D-galactosidase, p-nitrophenol is released, which can be quantified by colorimetric detection at 420 nm as a measure of  $\beta$ -D-galactosidase activity. p-Nitrophenyl  $\beta$ -D-galactopyranoside has been used to determine the substrate specificity of T. maritima MSB8 β-galactosidase.<sup>2</sup>

#### References

- 1. Darwish, I.A., Mahmoud, A.M., and Al-Majed, A.-R.A. Generic simple enzyme immunoassay approach to avert small molecule immobilization problems on solid phases: Application to the determination of tobramycin in serum. Talanta 72(4), 1322-1328 (2007).
- Li, L., Zhang, M., Jiang, Z., et al. Characterisation of a thermostable family 42 β-galactosidase from Thermotoga maritima. Food Chem. 112, 844-850 (2009).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

## WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website

Copyright Cayman Chemical Company, 12/19/2022

#### **CAYMAN CHEMICAL**

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM