



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


# PRODUCT INFORMATION



## 2-Methoxy-4-vinylphenol

Item No. 36427

**CAS Registry No.:** 7786-61-0  
**Formal Name:** 4-ethenyl-2-methoxy-phenol  
**Synonyms:** MVP, 4-Vinylguaiaicol, *p*-Vinylguaiaicol  
**MF:** C<sub>9</sub>H<sub>10</sub>O<sub>2</sub>  
**FW:** 150.2  
**Purity:** ≥98%  
**UV/Vis.:** λ<sub>max</sub>: 212, 266 nm  
**Supplied as:** A neat oil  
**Storage:** -20°C  
**Stability:** ≥4 years  
**Item Origin:** Synthetic



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

### Laboratory Procedures

2-Methoxy-4-vinylphenol is supplied as a neat oil. A stock solution may be made by dissolving the 2-methoxy-4-vinylphenol in the solvent of choice, which should be purged with an inert gas. 2-Methoxy-4-vinylphenol is slightly soluble in methanol, ethyl acetate, chloroform, and DMSO.

### Description

2-Methoxy-4-vinylphenol is a phenol that has been found in *S. brachiariae* and has diverse biological activities.<sup>1,2</sup> It is also a gut microbiota-derived active metabolite of the phenol ferulic acid (Item No. 19871).<sup>1</sup> 2-Methoxy-4-vinylphenol inhibits α-glucosidase, α-amylase, and tyrosinase (K<sub>i</sub>s = 47.7, 189, and 40.3 μg/ml, respectively).<sup>2</sup> It induces cell cycle arrest at the S and G<sub>2</sub>/M phases and apoptosis in HT-29 colorectal cancer cells when used at a concentration of 1 mM.<sup>1</sup> Formulations containing 2-methoxy-4-vinylphenol have been used as flavoring agents.

### References

1. Luo, Y., Wang, C.-Z., Sawadogo, R., *et al.* 4-Vinylguaiaicol, an active metabolite of ferulic acid by enteric microbiota and probiotics, possesses significant activities against drug-resistant human colorectal cancer cells. *ACS Omega* **6**(7), 4551-4561 (2021).
2. Nanok, K. and Sansenya, S. Combination effects of rice extract and five aromatic compounds against α-glucosidase, α-amylase and tyrosinase. *J. Biosci. Bioeng.* **132**(1), 9-17 (2021).

#### WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

#### SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the [complete](#) Safety Data Sheet, which has been sent via email to your institution.

#### WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 08/25/2023

#### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD  
ANN ARBOR, MI 48108 · USA

**PHONE:** [800] 364-9897  
[734] 971-3335

**FAX:** [734] 971-3640

CUSTSERV@CAYMANCHEM.COM  
WWW.CAYMANCHEM.COM