



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

# PRODUCT INFORMATION




## MELK-8a (hydrochloride)

Item No. 37025

**CAS Registry No.:** 2096992-20-8  
**Formal Name:** 1-methyl-4-[4-[4-[3-(4-piperidinylmethoxy)-4-pyridinyl]-1H-pyrazol-1-yl]phenyl]-piperazine, monohydrochloride

**Synonym:** NVS-MELK8a  
**MF:** C<sub>25</sub>H<sub>32</sub>N<sub>6</sub>O • HCl  
**FW:** 469.0  
**Purity:** ≥95%  
**UV/Vis.:** λ<sub>max</sub>: 307 nm  
**Supplied as:** A solid  
**Storage:** -20°C  
**Stability:** ≥4 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

### Laboratory Procedures

MELK-8a (hydrochloride) is supplied as a solid. Aqueous solutions of MELK-8a (hydrochloride) can be prepared by directly dissolving the solid in aqueous buffers. The solubility of MELK-8a (hydrochloride) in PBS (pH 7.2) is approximately 1 mg/ml. We do not recommend storing the aqueous solution for more than one day.

### Description

MELK-8a is an inhibitor of maternal embryonic leucine zipper kinase (MELK; IC<sub>50</sub> = 0.002 μM).<sup>1</sup> It is selective for MELK over FLT3, haspin, KIT, and PDGFRα, (IC<sub>50</sub>s = 0.18, 0.19, >10, and 0.42 μM, respectively), as well as a panel of 456 kinases at 1 μM. MELK-8a inhibits the proliferation of MDA-MB-468 and MCF-7 breast cancer cells (IC<sub>50</sub>s = 0.11 and 3.68 μM).

### Reference

1. Touré, B.B., Giraldez, J., Smith, T., *et al.* Toward the validation of maternal embryonic leucine zipper kinase: Discovery, optimization of highly potent and selective inhibitors, and preliminary biology insight. *J. Med. Chem.* **59**(10), 4711-4723 (2016).

**WARNING**  
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

**SAFETY DATA**  
This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

**WARRANTY AND LIMITATION OF REMEDY**  
Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 12/21/2022

### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD  
ANN ARBOR, MI 48108 · USA

**PHONE:** [800] 364-9897  
[734] 971-3335

**FAX:** [734] 971-3640

CUSTSERV@CAYMANCHEM.COM  
WWW.CAYMANCHEM.COM