

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

PRODUCT INFORMATION



(R,S)-Anatabine-d₄

Item No. 37198

| CAS Registry No.: | 1020719-11-2 | |
|--|---|-------|
| Formal Name: | 1,2,3,6-tetrahydro-2,3'-bipyridine-2',4',5',6'-d ₄ | |
| Synonym: | (±)-Anatabine-d ₄ | |
| MF: | $C_{10}H_8D_4N_2$ | |
| FW: | 164.2 | |
| Chemical Purity: | ≥95% ((R,S)-Anatabine) | |
| Deuterium | | |
| Incorporation: | ≥99% deuterated forms (d ₁ -d ₄); ≤1% d ₀ | Ď I I |
| Supplied as: | A solid | Н |
| Storage: | -20°C | |
| Stability: | ≥4 years | |
| Item Origin: | Synthetic | |
| Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis. | | |

Laboratory Procedures

(R,S)-Anatabine-d₁ is intended for use as an internal standard for the quantification of (R,S)-anatabine (Item Nos. 11001 | 15132) by GC- or LC-MS. The accuracy of the sample weight in this vial is between 5% over and 2% under the amount shown on the vial. If better precision is required, the deuterated standard should be quantitated against a more precisely weighed unlabeled standard by constructing a standard curve of peak intensity ratios (deuterated versus unlabeled).

(R,S)-Anatabine- d_4 is supplied as a solid. A stock solution may be made by dissolving the (R,S)-anatabine- d_4 in the solvent of choice, which should be purged with an inert gas. (R,S)-Anatabine- d_A is soluble in organic solvents such as chloroform and methanol.

Description

(R,S)-Anatabine is an alkaloid that has been found as a minor component in tobacco (Nicotiana).¹ It is an agonist of $\alpha 4\beta 2$ and $\alpha 6/\alpha 3\beta 2\beta 4$ subunit-containing nicotinic acetylcholine receptors (nAChRs; EC₅₀s = 6.1 and 3.6 μ M, respectively). It is selective for α 4 β 2 and α 6/ α 3 β 2 β 4 subunit-containing nAChRs over $\alpha 3\beta 4$ subunit-containing nAChRs or $\alpha 7$ nAChRs (EC₅₀s = 70.6 and 158.5 μ M, respectively).² (R,S)-Anatabine stimulates dopamine, but not norepinephrine, release from isolated rat brain synaptosomes $(EC_{so}s = 1.76 \text{ and } >100 \ \mu\text{M}$, respectively). It increases the time spent at the top of the tank in a novel tank test, indicating anxiolytic-like activity, in zebrafish when used at a concentration of 10 mg/L. (R,S)-Anatabine (0.05 mg/ml in the drinking water) decreases disease severity in a mouse model of moderate, but not low or severe, experimental autoimmune thyroiditis induced by immunization with thyroglobulin, complete Freund's adjuvant (CFA), and M. tuberculosis.³ It decreases food and nicotine self-administration in monkeys (ED₅₀s = 2.085 and 0.854 mg/kg, respectively).⁴ (R,S)-Anatabine has been used as a biomarker of tobacco use.5,6

References

- 1. Weeks, W.W. and Bush, L.P. Plant Physiol. 53(1), 73-75 (1974).
- 2. Alijevic, O., Jaka, O., Alzualde, A., et al. Front. Pharmacol. 13, 668065 (2022).
- 3. Caturegli, P., De Remigis, A., Ferlito, M., et al. Endocrinology 153(9), 4580-4587 (2012).
- 4. Mello, N.K., Fivel, P.A., Kohut, S.J., et al. Exp. Clin. Psychopharmacol. 22(1), 1-8 (2014).
- 5. Jacob, P., III, Yu, L., Shulgin, A.T., et al. Am. J. Public Health 89(5), 731-736 (1999).
- 6. Murphy, S.E., Link, C.A., Jensen, J., et al. Cancer Epidemiol. Biomarkers Prev. 13(10), 1617-1623 (2004).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

uyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 12/21/2022

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM