



**SZABO
SCANDIC**

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic



PRODUCT INFORMATION




Sema3A Sema Domain (human, recombinant; aa 26-546) Item No. 38070

Overview and Properties

Synonyms: Sema III, Semaphorin-3A, Semaphorin III
Source: Recombinant N-terminal human IgG1 Fc-tagged Sema3A expressed in HEK293 cells
Amino Acids: 26-546
Uniprot No.: Q14563
Molecular Weight: 87.7 kDa
Storage: -80°C (as supplied)
Stability: ≥1 year
Purity: ≥90% estimated by SDS-PAGE
Supplied in: Lyophilized from sterile PBS, pH 7.4
Endotoxin Testing: <1.0 EU/μg, determined by the LAL endotoxin assay

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Image



Lane 1: MW Markers
Lane 2: Sema3A Sema Domain

SDS-PAGE Analysis of Sema3A Sema Domain. This protein has a calculated molecular weight of 87.7 kDa.

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 03/13/2023

CAYMAN CHEMICAL
1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 - USA
PHONE: [800] 364-9897
[734] 971-3335
FAX: [734] 971-3640
CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM

PRODUCT INFORMATION



Description

Semaphorin-3A (Sema3A) is a secreted glycoprotein and ligand of neuropilin-1 (NRP-1) and plexin A receptors.^{1,2} It is composed of a Sema domain, which mediates signaling and receptor specificity, a plexin-semaphorin-integrin (PSI) domain, an immunoglobulin (Ig) domain, and a C-terminal domain, which contains several basic residues that are important for NRP-1 binding. Sema3A is expressed in many tissues, including nervous, bone, and connective tissues and vascular endothelium, as well as some immune cells such as T cells and macrophages.¹ It is involved in axonal guidance, bone remodeling, immunoregulation, and angiogenesis.¹⁻³ Sema3A decreases the length and number of neurites in sensory and motor neurons *in vitro* and increases vascular permeability in mice.^{4,5} Heterozygous deletion of SEMA3A is associated with Kallmann syndrome, a disorder characterized by hypogonadotropic hypogonadism and an absent or decreased sense of smell.⁶ Cayman's Sema3A Sema Domain (human, recombinant; aa 26-546) protein is a disulfide-linked homodimer. The reduced monomer, composed of Sema3A (amino acids 26-546) fused to human IgG1 Fc at its N-terminus, consists of 781 amino acids and has a calculated molecular weight of 87.7 kDa.

References

1. Kiseleva, E.P. and Rutto, K.V. Semaphorin 3A in the immune system: Twenty years of study. *Biochemistry (Mosc.)* **87**(7), 640-657 (2022).
2. Li, Z., Hao, J., Duan, X., et al. The role of Semaphorin 3A in bone remodeling. *Front. Cell. Neurosci.* **11**:40, (2017).
3. He, Z. and Tessier-Lavigne, M. Neuropilin is a receptor for the axonal chemorepellent Semaphorin III. *Cell* **90**(4), 739-751 (1997).
4. Shen, M., Zhou, C., Tian, Y., et al. Effects of Semaphorin3A on the growth of sensory and motor neurons. *Exp. Cell Res.* **424**(2), 113506 (2023).
5. Acevedo, L.M., Barillas, S., Weis, S.M., et al. Semaphorin 3A suppresses VEGF-mediated angiogenesis yet acts as a vascular permeability factor. *Blood* **111**(5), 2674-2680 (2008).
6. Young, J., Metay, C., Bouligand, J., et al. SEMA3A deletion in a family with Kallmann syndrome validates the role of semaphorin 3A in human puberty and olfactory system development. *Hum. Reprod.* **27**(5), 1460-1465 (2012).