

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

PRODUCT INFORMATION



Atrazine-d₅ Item No. 39551

CAS Registry No.: Formal Name:	163165-75-1 6-chloro-N-(ethyl-d ₅)-N'-(1-methylethyl)-	H
	1,3,5-triazine-2,4-diamine	
Synonym:	ATR-d ₅	\uparrow \uparrow \uparrow
MF:	$C_8H_9CID_5N_5$	
FW:	220.7	
Chemical Purity:	≥98% (Atrazine-d₅)	
Deuterium	,	H
Incorporation:	≥99% deuterated forms (d ₁ -d ₅); ≤1% d ₀	
Supplied as:	A solid	ВВ
Storage:	-20°C	
Stability:	≥4 years	
Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis		

Laboratory Procedures

Atrazine- d_5 is intended for use as an internal standard for the quantification of atrazine (Item No. 13375) by GC- or LC-MS. The accuracy of the sample weight in this vial is between 5% over and 2% under the amount shown on the vial. If better precision is required, the deuterated standard should be quantitated against a more precisely weighed unlabeled standard by constructing a standard curve of peak intensity ratios (deuterated versus unlabeled).

Atrazine-d₅ is supplied as a solid. A stock solution may be made by dissolving the atrazine-d₅ in the solvent of choice, which should be purged with an inert gas. Atrazine- d_{5} is slightly soluble in ethanol, DMSO, and methanol (heated).

Description

Atrazine is an herbicide.¹ It induces lethality in poppy plants (P. somniferum) when applied at a concentration of 250 g Al/ha.² Atrazine (1.6% Al/L at planting) inhibits the emergence of summer grass (D. sanguinalis), barnyard grass (E. crus-galli), smooth witchgrass (P. dichotomiflorum), and paspalum (P. dilatatum) and increases maize yields in field trials.¹ It decreases serum levels of testosterone and increases the incidence of hermaphroditism in adult male frogs when used at a concentration of 25 ppb in the water during larval development.³ It decreases uterine size and reduces serum levels of estrogen, progesterone, luteinizing hormone, follicle-stimulating hormone, and prolactin in female rats when administered at a dose of 300 mg/kg per day.⁴ Dietary administration of atrazine (1,000 ppm) increases the incidence of mammary tumors in rats.⁵ Formulations containing atrazine have been used as herbicides in agriculture.

References

- 1. Rahman, A., Burney, B., and Honore, E.N. P. NZ Weed P. 33, 245-248 (1980).
- 2. Horowitz, M. Bull. Narc. 32(1), 33-43 (1980).
- 3. Hayes, T.B., Collins, A., Lee, M., et al. Proc. Natl. Acad. Sci. USA 99(8), 5476-5480 (2002).
- 4. Goldman, J.M., Stoker, T.E., and Cooper, R.L. Toxicol. Ind. Health 15(1-2), 26-36 (1999).
- 5. Eldridge, J.C., Wetzel, L.T., Stevens, J.T., et al. Steroids 64(9), 672-678 (1999).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 10/30/2023

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM