



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PRODUCT INFORMATION



Chlorfenapyr-d₇

Item No. 39599

Formal Name: 4-bromo-2-(4-chlorophenyl)-1-((ethoxy-d₅)methyl-d₂)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile

MF: C₁₅H₄BrD₇ClF₃N₂O
FW: 414.7

Chemical Purity: ≥98% (Chlorfenapyr)


Deuterium

Incorporation: ≥99% deuterated forms (d₁-d₇); ≤1% d₀

Supplied as: A solid

Storage: -20°C

Stability: ≥4 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Chlorfenapyr-d₇ is intended for use as an internal standard for the quantification of chlorfenapyr (Item No. 24141) by GC- or LC-MS. The accuracy of the sample weight in this vial is between 5% over and 2% under the amount shown on the vial. If better precision is required, the deuterated standard should be quantitated against a more precisely weighed unlabeled standard by constructing a standard curve of peak intensity ratios (deuterated *versus* unlabeled).

Chlorfenapyr-d₇ is supplied as a solid. A stock solution may be made by dissolving the chlorfenapyr-d₇ in the solvent of choice, which should be purged with an inert gas. Chlorfenapyr-d₇ is slightly soluble in chloroform and methanol.

Description

Chlorfenapyr is a pyrrole pro-insecticide that is metabolized *in vivo* into CL 303268 by mixed function oxidases.¹ It is toxic to Colorado potato beetles (*L. decemlineata*) when used at a concentration of 10 ppm, as well as horn flies (*H. irritans*) susceptible- and resistant to the insecticide cypermethrin (LC₅₀s = 1.25 and 0.29 µg/cm² on filter paper) and *A. culicifacies* and *A. stephensi* mosquitos (LC₁₀₀ = 5% for both on filter paper).¹⁻³ Chlorfenapyr is toxic to rats (LD₅₀s = 441 and 1,152 mg/kg for males and females, respectively).¹ Formulations containing chlorfenapyr have been used to control termites and in agriculture to control various insects.

References

1. Black, B.C., Hollingworth, R.M., Ahammadsahib, K.I., *et al.* Insecticidal action and mitochondrial uncoupling activity of AC-303,630 and related halogenated pyrroles. *Pestic. Biochem. Physiol.* **50**(2), 115-128 (1994).
2. Sheppard, D.C. and Joyce, J.A. Increased susceptibility of pyrethroid-resistant horn flies (Diptera: Muscidae) to chlorfenapyr. *J. Econ. Entomol.* **91**(2), 398-400 (1998).
3. Raghavendra, K., Barik, T.K., Sharma, P., *et al.* Chlorfenapyr: A new insecticide with novel mode of action can control pyrethroid resistant malaria vectors. *Malar. J.* **10**, 16 (2011).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 09/19/2023

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM

WWW.CAYMANCHEM.COM