

## Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

#### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

# **PRODUCT** INFORMATION



#### Acetylshikonin

Item No. 40144

CAS Registry No.:	24502-78-1	HO.
Formal Name:	2-[(1R)-1-(acetyloxy)-4-methyl-3-	
	penten-1-yl]-5,8-dihydroxy-1,4-	
	naphthalenedione	но
Synonym:	NSC 110199	
MF:	C <sub>18</sub> H <sub>18</sub> O <sub>6</sub>	
FW:	330.3	
Purity:	≥98%	
Supplied as:	A solid	'
Storage:	-20°C	
Stability:	≥4 years	
Item Origin:	Plant/Lithospermum sp.	

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

#### Laboratory Procedures

Acetylshikonin is supplied as a solid. A stock solution may be made by dissolving the acetylshikonin in the solvent of choice, which should be purged with an inert gas. Acetylshikonin is soluble in methanol.

#### Description

Acetylshikonin is a naphthoquinone that has been found in L. erythrorhizon and has diverse biological activities.<sup>1-3</sup> It inhibits a panel of 10 cytochrome P450 (CYP) enzymes, including CYP1A2, CYP2D6, and CYP3A (IC<sub>50</sub>s = 1.4-4.0 µM).<sup>1</sup> Acetylshikonin is cytotoxic to H1975, A549, PC-9, and H460 non-small cell lung cancer (NSCLC) cells (IC<sub>50</sub>s = 3.9, 4.7, 20.7, and 17.3 µM, respectively).<sup>2</sup> It inhibits the migration of, as well as reduces EGFR and STAT3 signaling and induces apoptosis in, H1975, PC-9, and H460 cells when used at concentrations of 0.5, 1, and 2  $\mu$ M. In vivo, acetylshikonin (1 mg/kg) reduces tumor weight and intratumoral STAT3 phosphorylation in an H1975 mouse xenograft model. It also inhibits severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) papain-like protease (PL<sup>pro</sup>; IC<sub>50</sub> = 5.05  $\mu$ M) and reduces bronchoalveolar lavage fluid (BALF) levels of Tnf- $\alpha$ , II-1 $\alpha$ , and II-6 in a mouse model of acute lung injury induced by poly (I:C) and SARS-CoV-2 spike glycoprotein, also known as surface glycoprotein, when administered at a dose of 300 mg/kg.<sup>3</sup>

#### References

- 1. Shon, J.C., Phuc, N.M., Kim, W.C., et al. Acetylshikonin is a novel non-selective cytochrome P450 inhibitor. Biopharm. Drug Dispos. 38(9), 553-556 (2017).
- 2. Tang, Y., Wang, Y., Wang, X., et al. Acetylshikonin exerts anti-tumor effects on non-small cell lung cancer through dual inhibition of STAT3 and EGFR. Phytomedicine 101, 154109 (40144).
- 3. Lu, N., Gu, T., Tian, X., et al. Acetylshikonin inhibits inflammatory responses and Papain-like protease activity in murine model of COVID-19. Signal Transduct. Target Ther. 7(1), 371 (2022).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

#### SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

#### WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 02/13/2024

#### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM