



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


# PRODUCT INFORMATION



## Takeda-103A

Item No. 41027

**CAS Registry No.:** 865609-72-9  
**Formal Name:** N-[(2,6-difluorophenyl)methyl]-3-[[[4-propyl-5-(4-pyrimidinyl)-4H-1,2,4-triazol-3-yl]methyl]amino]-benzamide  
**MF:** C<sub>24</sub>H<sub>23</sub>F<sub>2</sub>N<sub>7</sub>O  
**FW:** 463.5  
**Purity:** ≥98%  
**Supplied as:** A solid  
**Storage:** -20°C  
**Stability:** ≥4 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

### Laboratory Procedures

Takeda-103A is supplied as a solid. A stock solution may be made by dissolving the takeda-103A in the solvent of choice, which should be purged with an inert gas. Takeda-103A is soluble (≥10 mg/ml) in ethanol and DMSO.

### Description

Takeda-103A is an inhibitor of G protein-coupled receptor kinase 2 (GRK2).<sup>1</sup> It selectively inhibits phosphorylation of bovine rod outer segments by GRK2 (IC<sub>50</sub> = 54 nM) over phosphorylation by GRK1 and GRK5 at concentrations up to 125 μM. Takeda-103A also inhibits phosphorylation of bovine rod outer segments by GRK2 containing various mutations, including GRK2<sup>L271M</sup>, GRK2<sup>Y206S</sup>, GRK2<sup>I197L</sup>, and GRK2<sup>L235G</sup> (IC<sub>50</sub>s = 24, 55, 106, and 180 nM, respectively).

### Reference

1. Thal, D.M., Yeow, R., Schoenau, C., *et al.* Molecular mechanism of selectivity among G protein-coupled receptor kinase 2 inhibitors. *Mol. Pharmacol.* **80(2)**, 294-303 (2011).

#### WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

#### SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the [complete](#) Safety Data Sheet, which has been sent via email to your institution.

#### WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 06/03/2024

#### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD  
ANN ARBOR, MI 48108 · USA

**PHONE:** [800] 364-9897

[734] 971-3335

**FAX:** [734] 971-3640

CUSTSERV@CAYMANCHEM.COM  
WWW.CAYMANCHEM.COM