

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

PRODUCT INFORMATION

O HO



Ganglioside G_{M1} (bovine) (sodium salt)

Item No. 41206

		→«×
CAS Registry No.: Synonyms:	37758-47-7 Ganglioside G ₄ , G _{M1} , Monosialoganglioside G _{M1}	
MF:	$C_{73}H_{130}N_3O_{31} \bullet Na$ (for stearoyl)	но он он он
FW:	1568.8	ОН
Purity:	≥98%	• Na ⁺
Supplied as:	A solid	
Storage:	-20°C	
Stability:	≥2 years	°∽ _R
Special Conditions: Forms a micellar solution in water		
Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.		

Laboratory Procedures

Ganglioside G_{M1} (bovine) (sodium salt) is supplied as a solid. A stock solution may be made by dissolving the ganglioside G_{M1} (bovine) (sodium salt) in the solvent of choice, which should be purged with an inert gas. Ganglioside GM1 (bovine) (sodium salt) is soluble in a 2:1:0.1 solution of chloroform:methanol:DI water. We do not recommend storing the aqueous solution for more than one day.

Description

Ganglioside G_{M1} is a monosialylated ganglioside and the prototypic ganglioside for those containing one sialic acid residue.^{1,2} It is found in a large variety of cells, including immune cells and neurons, and is enriched in lipid rafts in the cell membrane.³ It associates with growth factor receptors, including TrkA, TrkB, and the GDNF receptor complex containing Ret and GFRa, and is required for TrkA expression on the cell surface. Ganglioside G_{M1} interacts with other proteins to increase calcium influx, affecting various calcium-dependent processes, including inducing neuronal outgrowth during differentiation. Ganglioside G_{M1} acts as a receptor for cholera toxin, which binds to its oligosaccharide group, facilitating toxin cell entry into epithelial cells of the jejunum.^{4,5} Similarly, it is bound by the heat-labile enterotoxin from *E. coli* in the pathogenesis of traveler's diarrhea.⁶ Ganglioside G_{M1} sensitizes inactivated T cells to TNF- α -induced apoptosis and induces apoptosis of activated T cells even in the absence of TNF- α .⁷ Ganglioside G_{M1} is found at higher levels on T cells isolated from patients with renal cell carcinoma (RCC) compared with T cells from patients without cancer. Levels of ganglioside G_{M1} are decreased in the substantia nigra pars compacta in postmortem brain from patients with Parkinson's disease.³ Ganglioside G_{M1} gangliosidosis, characterized by a deficiency in G_{M1} - β -galactosidase, the enzyme that degrades ganglioside G_{M1} , leads to accumulation of the gangliosides G_{M1}^{1} and G_{A1} in neurons and can be fatal in infants.¹ This product contains ganglioside G_{M1} molecular species with primarily C18:0 fatty acyl chain lengths. As this product is derived from a natural source, there may be variations in the sphingoid backbone.

References

- 1. Kolter, T. ISRN Biochem. 506160 (2012).
- 2. Mocchetti, I. Cell Mol. Life Sci. 62(19-20), 2283-2294 (2005).
- 3. Ledeen, R.W. and Wu, G. Trends Biochem. Sci. 40(7), 407-418 (2015).
- Turnbull, W.B., Precious, B.L., and Homans, S.W. J. Am. Chem. Soc. 126(4), 1047-1054 (2004). 4.
- 5. Blank, N., Schiller, M., Krienke, S., et al. Immunol. Cell Biol. 85(5), 378-382 (2007).
- 6. Minke, W.E., Roach, C., Hol, W.G., et al. Biochemistry 38(18), 5684-5692 (1999).
- 7. Das, T., Sa, G., Hilston, C., et al. Cancer Res. 68(6), 2014-2023 (2008).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cavman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information uyer agrees to purchase the material can be found on our website

Copyright Cayman Chemical Company, 05/15/2024

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM