



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PRODUCT INFORMATION



Actinobolin (hemisulfate)

Item No. 42359

CAS Registry No.: 18802-17-0
Formal Name: 2S-amino-N-[(3R,4R,4aR,5R,6R)-3,4,4a,5,6,7-hexahydro-5,6,8-trihydroxy-3-methyl-1-oxo-1H-2-benzopyran-4-yl]-propanamide, hemisulfate

MF: C₁₃H₂₀N₂O₆ • 1/2H₂SO₄

FW: 349.3

Purity: ≥98%


Supplied as: A powder

Storage: -20°C

Stability: ≥4 years

Item Origin: Bacterium/*Streptomyces* sp.

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.



Laboratory Procedures

Actinobolin (hemisulfate) is supplied as a powder. A stock solution may be made by dissolving the actinobolin (hemisulfate) in the solvent of choice, which should be purged with an inert gas. Actinobolin (hemisulfate) is soluble in methanol and DMSO. It is also soluble in water. We do not recommend storing the aqueous solution for more than one day.

Description

Actinobolin is a microbial metabolite that has been found in *Pseudomonas* and has antibiotic and anticancer activities.¹ It is active against *E. coli* (MIC = 170 μM). Actinobolin decreases protein synthesis in *E. coli* (IC₅₀ = 30 μM). It inhibits the proliferation of adenocarcinoma 755 cells (IC₅₀ = 70 μM).²

References

1. Hori, M., Suzukake, K., Ishikawa, C., *et al.* Biochemical studies on bactobolin in relation to actinobolin. *J. Antibiot. (Tokyo)* **34(4)**, 465-468 (1981).
2. Smithers, D., Bennett, L.L., Jr., and Struck, R.F. Inhibition of protein synthesis in mammalian cells by actinobolin. *Mol. Pharmacol.* **5(5)**, 433-445 (1969).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 10/22/2024

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD

ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM

WWW.CAYMANCHEM.COM