



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


# Product Information



## 13(S)-HpOTrE

Item No. 45220

**CAS Registry No.:** 67597-26-6  
**Formal Name:** 13S-hydroperoxy-9Z,11E,15Z-octadecatrienoic acid  
**MF:** C<sub>18</sub>H<sub>30</sub>O<sub>4</sub>  
**FW:** 310.4  
**Purity:** ≥98%  
**Stability:** ≥1 year at -80°C  
**Supplied as:** A solution in ethanol  
**UV/Vis:** λ<sub>max</sub>: 235 nm ε: 23,000



### Laboratory Procedures

For long term storage, we suggest that 13(S)-HpOTrE be stored as supplied at -80°C. It should be stable for at least one year.

13(S)-HpOTrE is supplied as a solution in ethanol. To change the solvent, evaporate the ethanol under a gentle stream of nitrogen and immediately add the solvent of choice. Solvents such as DMSO or dimethyl formamide purged with an inert gas can be used. The solubility of 13(S)-HpOTrE in these solvents is approximately 50 mg/ml.

Further dilutions of the stock solution into aqueous buffers or isotonic saline should be made prior to performing biological experiments. Ensure that the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. If an organic solvent-free solution of 13(S)-HpOTrE is needed, the ethanol can be evaporated under a stream of nitrogen and the neat oil dissolved in the buffer of choice. The solubility of 13(S)-HpOTrE in PBS (pH 7.2) is approximately 1 mg/ml. More concentrated aqueous solutions of 13(S)-HpOTrE can be prepared using concentrated basic buffers (pH ≥8.0 and ionic strength ≥0.1 M). Add 400 µl of cold buffer (0°C) per mg of 13(S)-HpOTrE and vortex vigorously until completely dissolved. Store aqueous solutions of 13(S)-HpOTrE on ice and use within twelve hours.

13(S)-HpOTrE is a hydroperoxy fatty acid derivative of α-linolenic acid. 13(S)-HpOTrE is a monohydroperoxy polyunsaturated fatty acid produced in soybeans by the action of soybean lipoxygenase 2 (LO-2) on esterified linolenic acid.<sup>1</sup> Incubation of soybean seedling biomembranes with soybean LO-2 catalyzes the formation of both 9- and 13-HpOTrE in a molar ratio of 10:1.<sup>1</sup> In plants, 13(S)-HpOTrE can be metabolized by the hydroperoxide lyase pathway producing aldehyde and oxoacid fragments, or by the hydroperoxide dehydratase pathway producing jasmonic acid.<sup>2-4</sup> Treatment of tomato leaves with 13-HpOTrE causes induction of proteinase inhibitors, simulating the normal response to wounding.<sup>5</sup> This data suggests that in plants 13(S)-HpOTrE may participate in a lipid-based signaling system initiated by insect and pathogen attack.

### References

1. Maccarrone, M., van Aarle, P.G.M., Veldink, G.A., *et al.* *In vitro* oxygenation of soybean biomembranes by lipoxygenase-2. *Biochim. Biophys. Acta* **1190**, 164-169 (1994).
2. Vick, B.A. Oxygenated fatty acids of the lipoxygenase pathway, Chapter 5, *in* Lipid Metabolism in Plants. Moore, T.S., Jr., editor. *CRC Press, Boca Raton*, 167-191 (1993).
3. Salch, Y.P., Grove, M.J., Takamura, H., *et al.* Characterization of a C-5,13-cleaving enzyme of 13(S)-hydroperoxide of linolenic acid by soybean seed. *Plant Physiol.* **108**, 1211-1218 (1995).
4. Simpson, T.D. and Gardner, H.W. Allene oxide synthase and allene oxide cyclase, enzymes of the jasmonic acid pathway, localized in Glycine max tissues. *Plant Physiol.* **108**, 199-202 (1995).
5. Farmer, E.E. and Ryan, C.A. Octadecanoid precursors of jasmonic acid activate the synthesis of wound-inducible proteinase inhibitors. *Plant Cell* **4**, 129-134 (1992).

### Related Products

9(S)-HpOTrE - Item No. 45120 • 13(S)-HpOTrE(γ) - Item No. 45210 • 12-oxo Phytodienoic Acid - Item No. 88520 • *trans*-12-oxo Phytodienoic Acid - Item No. 88525 • α-Linolenic Acid - Item No. 90210 • α-Linolenic Acid-d<sub>14</sub> - Item No. 9000433

**WARNING: THIS PRODUCT IS FOR LABORATORY RESEARCH ONLY: NOT FOR ADMINISTRATION TO HUMANS. NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.**

### MATERIAL SAFETY DATA

This material should be considered hazardous until information to the contrary becomes available. Do not ingest, swallow, or inhale. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. This information contains some, but not all, of the information required for the safe and proper use of this material. Before use, the user must review the complete Material Safety Data Sheet, which has been sent *via* email to your institution.

### WARRANTY AND LIMITATION OF REMEDY

Cayman Chemical Company makes **no warranty or guarantee** of any kind, whether written or oral, expressed or implied, including without limitation, any warranty of fitness for a particular purpose, suitability and merchantability, which extends beyond the description of the chemicals hereof. Cayman **warrants only** to the original customer that the material will **meet our specifications at the time of delivery.**

Cayman will carry out its delivery obligations with due care and skill. Thus, in no event will Cayman have **any obligation or liability**, whether in tort (including negligence) or in contract, for any direct, indirect, incidental or consequential damages, even if Cayman is informed about their possible existence.

This limitation of liability does not apply in the case of intentional acts or negligence of Cayman, its directors or its employees.

Buyer's **exclusive remedy** and Cayman's sole liability hereunder shall be limited to a **refund** of the purchase price, or at Cayman's option, the **replacement**, at no cost to Buyer, of all material that does not meet our specifications.

Said refund or replacement is conditioned on Buyer giving written notice to Cayman within thirty (30) days after arrival of the material at its destination. Failure of Buyer to give said notice within thirty (30) days shall constitute a waiver by Buyer of all claims hereunder with respect to said material.

For further details, please refer to our **Warranty and Limitation of Remedy** located on our website and in our catalog.

Copyright Cayman Chemical Company, 04/11/2011

### Cayman Chemical

**Mailing address**  
1180 E. Ellsworth Road  
Ann Arbor, MI  
48108 USA

**Phone**  
(800) 364-9897  
(734) 971-3335

**Fax**  
(734) 971-3640

**E-Mail**  
custserv@caymanchem.com

**Web**  
www.caymanchem.com