

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

Product Information



Prostaglandin E₁ ethyl ester

Item No. 9001730

CAS Registry No.:	35900-16-4	
Formal Name:	11α,15S-dihydroxy-9-oxo-prost-13E-	
	en-1-oic acid, ethyl ester	0
Synonyms:	Alprostadil ethyl ester, PGE ₁ ethyl ester	
MF:	C ₂₂ H ₃₈ O ₅	
FW:	382.5	
Purity:	≥95%	но
Stability:	≥2 years at -20°C	ÓН
Supplied as:	A solution in methyl acetate	
UV/Vis.:	λ _{max} : 288 nm	

Laboratory Procedures

For long term storage, we suggest that prostaglandin E_1 (PGE₁) ethyl ester be stored as supplied at -20°C. It should be stable for at least two years.

PGE1 ethyl ester is supplied as a solution in methyl acetate. To change the solvent, simply evaporate the methyl acetate under a gentle stream of nitrogen and immediately add the solvent of choice. Solvents such as ethanol, DMSO, and dimethyl formamide (DMF) purged with an inert gas can be used. The solubility of PGE1 ethyl ester in ethanol is approximately 30 mg/ml and approximately 50 mg/ml in DMSO and DMF.

Further dilutions of the stock solution into aqueous buffers or isotonic saline should be made prior to performing biological experiments. Ensure that the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. If an organic solvent-free solution of PGE₁ ethyl ester is needed, it can be prepared by evaporating the methyl acetate and directly dissolving the neat oil in aqueous buffers. The solubility of PGE1 ethyl ester in PBS, pH 7.2, is approximately 0.25 mg/ml. We do not recommend storing the aqueous solution for more than one day.

PGE1 is the theoretical cyclooxygenase metabolite of dihomo-γ-linolenic acid.¹ Its pharmacology includes vasodilation, hypotension, and anti-platelet activities. The IC50 value of PGE1 for the inhibition of ADP-induced human platelet aggregation is 40 nM.^{2,3} PGE₁ is used to treat male erectile dysfunction and to maintain ductus arteriosus patency in infants.^{4,5} PGE₁ ethyl ester is an esterified form of the free acid which may be more amenable for certain applications.

References

- 1. Cawello, W., Schweer, H., Dietrich, B., et al. Pharmacokinetics of prostaglandin E1 and its main metabolites after intracavernous injection and short-term infusion of prostaglandin E1 in patients with erectile dysfunction. J. Urol. 158, 1403-1407 (1997).
- 2. Kobzar, G., Mardla, V., Järving, I., et al. Antiaggregating potency of E-type prostaglandins in human and rabbit platelets. Proc. Est. Acad. Sci. Chem. 40, 179-180 (1991).
- Okada, F., Nukada, T., Yamauchi, Y., et al. The hypotensive effect of prostaglandin E1 on hypertensive cases of various 3. types. Prostaglandins 7, 99-106 (1974).
- Padma-Nathan, H., Hellstrom, W.J.G., Kaiser, F.E., et al. Treatment of men with erectile dysfunction with transurethral 4. alprostadil. N. Engl. J. Med. 336, 1-7 (1997).
- Olley, P.M. and Coceani, F. Prostaglandins and the ductus arteriosus. Annu. Rev. Med. 32, 375-3785 (1981). 5.

Related Products

For a list of related products please visit: www.caymanchem.com/catalog/9001730

WARNING: This product is for laboratory research only: not for administration to humans. Not for human or veterinary DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until information to the contrary becomes available. Do not ingest, swallow, or inhale. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. This information contains some, but not all, of the information required for the safe and proper use of this material. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Cayman Chemical Company makes no warranty of guarantee of any kind, whether written or oral, expressed or implied, including without limitation, any warranty of fitness for a particular purpose, suitability and merchantability, which extends beyond the description of the chemical shereof. Cayman warrants only to the original customer that the material will meet our specifications at the time of delivery.

at the time of delivery. Cayman will carry out its delivery obligations with due care and skill. Thus, in no event will Cayman have **any obligation or liability**, whether in tort (including negligence) or in contract, for any direct, indirect, incidental or consequential damages, even if Cayman is informed about their possible existence. This limiting of liability does not apply in the case of intentional acts or negligence of Cayman, its directors or its employees. Buyer's **exclusive remedy** and Cayman's sole liability hereunder shall be limited to a <u>refund</u> of the purchase price, or at Cayman's option, the <u>replacement</u>, at no cost to Buyer, of all material that

Buyer's exclusive remedy and Laymans sole hability neterinder shall be infinited to a terminal of the particular process of an experimental strain terminal of the particular process of an experimental strain terminal of the particular process of an experimental strain terminal of the particular process of an experimental strain terminal of the particular process of an experimental strain terminal of the particular process of an experimental strain terminal of the particular process of an experimental strain terminal of the particular process of an experimental strain terminal strain terminal of the particular process of an experimental strain terminal strain tereminal strain terminal strain terminal strain terminal strain terminal strain s

Cayman Chemical

Mailing address

1180 E. Ellsworth Road Ann Arbor, MI 48108 USA

Phone (800) 364-9897 (734) 971-3335

Fax (734) 971-3640

E-Mail

custserv@caymanchem.com

Web

www.caymanchem.com