

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

PRODUCT INFORMATION



HE-3235

Item No. 9002769

CAS Registry No.:	183387-50-0 ///
Formal Name:	(3α,5α,17α)-pregn-20-yne-3,17-diol
Synonyms:	Apoptone, 17α-Ethynyl-5α-androstane- 3α,17β-diol
MF:	$C_{21}H_{32}O_2$
FW:	316.5
Purity:	≥95%
Supplied as:	A crystalline solid
Storage:	-20°C H
Stability:	As supplied, 2 years from the QC date provided on the Certificate of Analysis, when stored properly

Laboratory Procedures

HE-3235 is supplied as a crystalline solid. A stock solution may be made by dissolving the HE-3235 in the solvent of choice. HE-3235 is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide, which should be purged with an inert gas. The solubility of HE-3235 in these solvents is approximately 10 mg/ml.

HE-3235 is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, HE-3235 should first be dissolved in DMSO and then diluted with the aqueous buffer of choice. HE-3235 has a solubility of approximately 0.14 mg/ml in a 1:6 solution of DMSO:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

HE-3235 is a synthetic adrenal hormone, an androstanediol analog, that acts as an androgen receptor antagonist.¹ In an androgen receptor-dependent manner, it downregulates anti-apoptotic genes, while increasing the expression of pro-apoptotic genes, thus stimulating apoptosis.¹ HE-3235 has been shown to inhibit androstenediol-dependent LNCaP cell tumor growth both in vitro (IC50 = 6 nM) and in xenograft models in vivo.1,2

References

- 1. Trauger, R., Corey, E., Bell, D., et al. Inhibition of androstenediol-dependent LNCaP tumour growth by 17α-ethynyl-5α-androstane-3α,17β-diol (HE3235). Br. J. Cancer 100(7), 1068-1072 (2009).
- 2. Koreckij, T. D., Trauger, R. J., Montgomery, R. B., et al. HE3235 inhibits growth of castration-resistant prostate cancer. Neoplasia 11(11), 1216-1225 (2009).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFFTY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 09/26/2016

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 **FAX:** [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM