



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

# PRODUCT INFORMATION



## 14R(15S)-EET

Item No. 9004351

**CAS Registry No.:** 98103-48-1  
**Formal Name:** (5Z,8Z,11Z)-13-[(2R,3S)-3-pentyl-2-oxiranyl]-5,8,11-tridecatricarboxylic acid

**Synonyms:** 14R(15S)-EpETrE,  
14R(15S)-epoxy-5(Z),8(Z),11(Z)-ETrE,  
14R(15S)-epoxy-all-cis-5,8,11-Eicosatrienoic Acid, 14R(15S)-Epoxyeicosatrienoic Acid,  
FA 20:4;O

**MF:** C<sub>20</sub>H<sub>32</sub>O<sub>3</sub>

**FW:** 320.5


**Purity:** ≥95%

**Supplied as:** A solution in ethanol

**Storage:** -20°C

**Stability:** ≥1 year

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.



### Laboratory Procedures

14R(15S)-EET is supplied as a solution in ethanol. To change the solvent, simply evaporate the ethanol under a gentle stream of nitrogen and immediately add the solvent of choice, which should be purged with an inert gas. 14R(15S)-EET is sparingly soluble (1-10 mg/ml) in acetonitrile.

### Description

14R(15S)-EET is an oxylipin and a metabolite of arachidonic acid (Item Nos. 90010 | 90010.1 | 10006607).<sup>1</sup> It is formed *via* oxidation of arachidonic acid by the cytochrome P450 (CYP) isoforms CYP2C8 and CYP2C9. 14R(15S)-EET (10 μM) induces relaxation of precontracted isolated bovine coronary arteries.<sup>2</sup>

### References

1. Daikh, B.E., Lasker, J.M., Raucy, J.L., *et al.* Regio- and stereoselective epoxidation of arachidonic acid by human cytochromes P450 2C8 and 2C91. *J. Pharmacol. Exp. Ther.* **271**(3), 1427-1433 (1994).
2. Falck, J.R., Krishna, U.M., Reddy, Y.K., *et al.* Comparison of vasodilatory properties of 14,15-EET analogs: Structural requirements for dilation. *Am. J. Physiol. Heart Circ. Physiol.* **284**(1), 337-349 (2003).

#### WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

#### SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent *via* email to your institution.

#### WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 04/09/2024

#### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD  
ANN ARBOR, MI 48108 · USA

**PHONE:** [800] 364-9897  
[734] 971-3335

**FAX:** [734] 971-3640

CUSTSERV@CAYMANCHEM.COM  
WWW.CAYMANCHEM.COM