

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





Conveniently Delivering You Today's Innovations for the Science of Tomorrow™

Anti-Human Synaptophysin **Monoclonal Antibody**

Catalogue#	Format	Size	Concentration	Isotype Control
CL2702AP	Purified	200 µg	1.0 mg/ml	CLCMGM00

Isotype: Mouse IgM

DESCRIPTION:

Synaptophysin is a 38 KDa synaptic vesicle (SV) glycoprotein containing four transmembrane domains. It is present in SVs of the neuroendocrine system, brain, spinal cord, retina, adrenal medulla and at neuromuscular junctions. synaptophysin acts as a maker for neuroedocrine tumours and has been used to study the distribution of synapses within the brain due to its ubiquity at these regions.

Although the exact function of synaptophysin is still unknown, several lines of evidence suggest it may have multiple important roles in SV exo and endocytosis. These include regulation of SNARE assembly, fusion pore formation initiating neurotransmitter release and activation of SV endocytosis. Additionally, it is thought that synaptophysin may have an important role in SV biogenesis.

PRESENTATION:

Purified: Purified IgM buffered in PBS and 0.02% NaN₃. (Purified from ascitic fluid via Affinity Chromatography). For maximal recovery of contents, please quick-spin vial before opening.

STORAGE/STABILITY:

Store at +4°C. For long term storage, aliquot and freeze unused portion at -20°C in volumes appropriate for single use. Avoid freeze thaw cycles.

APPLICATIONS:

This antibody is suitable for use in Western Blot, ELISA, Flow Cytometry and Immunofluorescence (1:500 dilution).

Continued Overleaf....

Visit our website for your local distributor.



In CANADA: Toll Free: 1-800-268-5058

4410 Paletta Court, Burlington, ON L7L 5R2 ph: (289) 288-0001, fax: (289) 288-0020 e-mail: general@cedarlanelabs.com

In the USA: Toll Free: 1-800-721-1644

1210 Turrentine Street, Burlington, NC 27215 ph: (336) 513-5135, fax: (336) 513-5138 e-mail: service@cedarlanelabs.com

SPECIFICATIONS:

Clone: SP15

Hybridoma Production:

Immunization: Mouse monoclonal antibodies raised against Crude human synaptic immunoprecipitate.

Specificity: This antibody is specific for Human Synaptophysin. [also reacts with Rat, Hamster and Pig]

Appropriate control samples should always be included in any labeling studies.

* For optimal results in various applications, it is recommended that each investigator determine dilutions appropriate for individual use.

REFERENCES:

- 1. Honer, WG et al. Cingulate cortex synaptic terminal proteins and neural cell adhesion molecule in schizophrenia. Neuroscience. 78(1), 99-110, 1997.
- 2. Honer, WG et al. Human synaptic proteins with a heterogeneous distribution in cerebellum and visual cortex. Brain Res. 609(1-2), 9-20, 1993.
- 3. Honer, WG et al. **Monoclonal antibodies to study the brain in schizophrenia**. Brain Res. 500(1-2), 379-83, 1989.
- 4. Valtorta, F et al. **Synaptophysin: leading actor or walk-on role in synaptic vesicle exocytosis?** Bioessays. 26(4), 445-53, 2004.
- 5. Young, CE et al. **SNAP-25 Deficit and Hippocampal Connectivity in Schizophrenia.** Cereb Cortex. 8(3), 261-8, 1998.