



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Technically  
Speaking

**CEDARLANE**<sup>®</sup>  
[www.cedarlanelabs.com](http://www.cedarlanelabs.com)



Conveniently Delivering You Today's Innovations  
for the Science of Tomorrow™

**Anti-Human SNAP-25  
Monoclonal Antibody**

Catalogue#	Format	Size	Concentration	Isotype Control
CL2705AP	Purified	200 µg	1.0 mg/ml	CLCMG100
CL2705B	Biotin	100 µg	0.1 mg/ml	CLCMG115
CL2705F	FITC	100 µg	0.1 mg/ml	CLCMG101
CL2705AF4	Alexa Fluor <sup>®</sup> 488	100 µg	0.1 mg/ml	N/A
CL2705AF6	Alexa Fluor <sup>®</sup> 647	100 µg	0.1 mg/ml	N/A

Alexa Fluor<sup>®</sup> is a registered trademark of Life Technologies Corporation.

Isotype: Mouse IgG1

**DESCRIPTION:**

Synaptosomal-associated protein 25 (SNAP25) is a membrane bound protein localized to the cytosolic face of the pre-synaptic membrane. SNAP25 is one component of the SNARE core complex which also includes Syntaxin-1 and Synaptobrevin 2. Through interactions with these proteins and Synaptotagmin, SNAP25 regulates vesicle docking and fusion and subsequently neurotransmitter release. SNAP25 exists as two alternatively spliced isoforms, SNAP25A and SNAP25B, that are differentially expressed in neurons and neuroendocrine cells.

Recent studies have shown that some mutations in SNAP25 may predispose humans to attention deficit hyperactivity disorder (ADHD). These findings are consistent with the fact that SNAP25 reduces Ca<sup>2+</sup> responsiveness at glutamatergic synapses.

**PRESENTATION:**

**Purified:** Purified IgG buffered in PBS and 0.02% NaN<sub>3</sub>. (Purified from ascitic fluid via Protein G Chromatography). For maximal recovery of contents, please quick-spin vial before opening.

**Biotin, FITC, AF488 and AF647:** Biotin/FITC/AF488/AF647 conjugated IgG buffered in PBS, 0.02% NaN<sub>3</sub> and EIA grade BSA as a stabilizing protein to bring total protein concentration to 4-5 mg/mL.

**STORAGE/STABILITY:**

For all formats, store at 4°C. DO NOT FREEZE AF488 and AF647 conjugates. For long term storage (**Purified, Biotin and FITC**), aliquot and freeze unused portion at -20°C in volumes appropriate for single usage. Avoid freeze/thaw cycles.

*Continued.....*

Visit our website for your local distributor.

**CEDARLANE**<sup>®</sup>

[www.cedarlanelabs.com](http://www.cedarlanelabs.com)

An ISO 9001:2015 and ISO 13485:2016  
registered company.

In CANADA: **Toll Free: 1-800-268-5058**

4410 Paletta Court, Burlington, ON L7L 5R2 ph: (289) 288-0001, fax: (289) 288-0020  
e-mail: [general@cedarlanelabs.com](mailto:general@cedarlanelabs.com)

In the USA: **Toll Free: 1-800-721-1644**

1210 Turrentine Street, Burlington, NC 27215 ph: (336) 513-5135, fax: (336) 513-5138  
e-mail: [service@cedarlanelabs.com](mailto:service@cedarlanelabs.com)

### **APPLICATIONS:**

This antibody is suitable for use in Western Blot, ELISA, ICC/IF and Flow Cytometry.

### **SPECIFICATIONS:**

Clone: SP12

#### Hybridoma Production:

Immunization: Mouse monoclonal antibodies raised against synaptic preparation of post mortem human brain.

Specificity: This antibody is specific for human SNAP25 (A and B isoforms). It is not effective against protein raised in bacterial expression systems [also reacts with Mouse, Rat, Cat, and Pig].

**Appropriate control samples should always be included in any labeling studies.**

**\* For optimal results in various applications, it is recommended that each investigator determine dilutions appropriate for individual use.**

### **REFERENCES:**

1. Brophy, K et al. **Synaptosomal-associated protein 25 (SNAP-25) and attention deficit hyperactivity disorder (ADHD): evidence of linkage and association in the Irish population.** Mol. Psychiatry 7(8): 913–7, 2002.
2. Honer, WG et al. **Cingulate cortex synaptic terminal proteins and neural cell adhesion molecule in schizophrenia.** Neuroscience. 78(1), 99-110, 1997.
3. Honer, WG et al. **Human synaptic proteins with a heterogeneous distribution in cerebellum and visual cortex.** Brain Res. 609(1-2), 9-20, 1993.
4. Honer, WG et al. **Monoclonal antibodies to study the brain in schizophrenia.** Brain Res. 500(1-2), 379-83, 1989.
5. Mill, J et al. **Association study of a SNAP-25 microsatellite and attention deficit hyperactivity disorder.** Am. J. Med. Genet. 114(3): 269–71, 2002.
6. Ungermann, C. and Langosch, D. **Functions of SNAREs in intracellular membrane fusion and lipid bilayer mixing.** J. Cell Science. 118, 3819-3828, 2005.
7. Young, CE et al. **SNAP-25 Deficit and Hippocampal Connectivity in Schizophrenia.** Cereb Cortex. 8(3), 261-8, 1998.

**FOR RESEARCH USE ONLY**

® is a registered trademark of Cedarlane