



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Technically
Speaking

CEDARLANE[®] 
www.cedarlanelabs.com

Conveniently Delivering You Today's Innovations
for the Science of Tomorrow™

FITC Mouse anti-Human Mannose Binding Lectin (MBL)

CL7304F

Lot:

Description: Mannose Binding Lectin (MBL) also called mannose- or mannan-binding protein (MBP) is a member of the group of collectins. MBL is an oligomeric lectin that recognizes carbohydrates as mannose and Nacetylglucosamine on pathogens. MBL contains a cysteine rich, a collagen like and a carbohydrate recognition domain. It forms a complex with C1r/C1s like serine proteases designated MASPs that proteolytically cleave C4, C2 and C3. MBL is able to activate the complement pathway independent of the classical and alternative complement activation pathways. The MBL-MASP pathway (better known as the lectin pathway) is antibody and C1q-independent. MBL exhibits complement-dependent antibacterial activity and acts directly as an opsonic and therefore plays an important role in innate immunity. MBL is synthesized by hepatocytes and has been isolated from the liver or serum of various vertebrate species.

Species: Mouse IgG₁

Formulation: 1 ml (100 µg/ml) 0.2 µm filtered FITC conjugated antibody solution in PBS, containing 0.1% bovine serum albumin and 0.02% sodium azide.

Application: The FITC conjugated monoclonal antibody 3E7 is useful for Western blotting and immuno assays. Furthermore the monoclonal antibody 3E7 is useful for immunohistology on frozen sections and flow cytometry. The antibody is not useful for staining of paraffin embedded sections.

Use: For Western blotting, flow cytometry and immunohistology dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50.

Storage: Product should be stored at 4°C. Under recommended storage conditions, product is stable for one year.

Continued...

Visit our website for your local distributor.

CEDARLANE[®] 

www.cedarlanelabs.com

An ISO 9001:2000 and ISO 13485:2003
registered company.

In CANADA: Toll Free: 1-800-268-5058

4410 Paletta Court, Burlington, ON L7L 5R2 ph: (289) 288-0001, fax: (289) 288-0020
e-mail: general@cedarlanelabs.com

In the USA: Toll Free: 1-800-721-1644

1210 Turrentine Street, Burlington, NC 27215 ph: (336) 513-5135, fax: (336) 513-5138
e-mail: service@cedarlanelabs.com

References:

1. Muto, S et al; Biological activities of human mannose-binding lectin bound to two different ligand sugar structures, Lewis A and Lewis B antigens and high-mannose type oligosaccharides. *Biochimica et Biophysica Acta* 2001, 1527: 39
2. Matsushita, M et al; Human mannose-binding protein is identical to a component of Ra-reactive factor. *Biochem Biophys Res Commun* 1992, 183: 645
3. Hisano, S et al; Mesangial IgA2 deposits and lectin pathway-mediated complement activation in IgA glomerulonephritis. *Am J Kidney Dis* 2001, 38: 1082
4. Vries de, B et al; The mannose-binding lectin-pathway is involved in complement activation in the course of renal ischemia-reperfusion injury. *Am J Pathol* 2004, 165: 1677
5. Nauta, A et al; Mannose-binding lectin engagement with late apoptotic and necrotic cells. *Eur J Immunol* 2003, 33 : 2853
6. Nauta, A et al ; Opsonization with C1q and Mannose-binding lectin targets apoptotic cells to dendritic cells. *J Immunol* 2004, 173: 3044

Laboratory Reagent For Research Use Only