



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Technically
Speaking

CEDARLANE[®]
www.cedarlanelabs.com



Conveniently Delivering You Today's Innovations
for the Science of Tomorrow™

**Anti-Mouse I-A^k
Monoclonal Antibody**

Catalogue#	Format	Size	Concentration	Isotype Control
CL8709A	Ascites	0.5ml	NA	CLCMG2A00
CL8709AP	Purified	250µg	1.0 mg/ml	CLCMG2A00
CL8709B	Biotin	100µg	0.1 mg/ml	CLCMG2A15
CL8709F	FITC	100µg	0.1 mg/ml	CLCMG2A01
CL8709PE	PE	50µg	0.1 mg/ml	CLCMG2A04

Isotype: Mouse IgG_{2a}

DESCRIPTION:

Cedarlane's anti-I-A^k monoclonal antibody is a cytotoxic antibody specific for cells expressing the Ia antigen coded for by the A subregion of the k haplotype. The reaction pattern of this antibody with a panel of inbred and recombinant haplotypes demonstrates that the antibody reacts with Ia.m2, a private specificity of the H-2^k haplotype. This antibody can be used to quantitate or to eliminate cells bearing the I-A^k (Ia.m2) antigen.

PRESENTATION:

Ascites: Lyophilized

Purified: Purified IgG buffered in PBS and 0.02% NaN₃. (Purified from ascitic fluid via Protein G Chromatography). For maximum recovery of contents, spin down tube before use.

PE, Biotin, and FITC: Biotin/FITC/PE conjugated IgG buffered in PBS, 0.02% NaN₃ and EIA grade BSA as a stabilizing protein to bring total protein concentration to 4-5 mg/ml.

STORAGE/STABILITY:

Store **Ascites** at -20°C. For all other formats, store at 4°C. **DO NOT FREEZE PE** conjugates. For long term storage (**Purified, Biotin** and **FITC**), aliquot and freeze unused portion at -20°C in volumes appropriate for single usage. Avoid freeze/thaw cycles.

SPECIFICATIONS:

Clone: 14V.18

Hybridoma Production:

Immunization: Immunogen: A.TL spleen
Donor: A.TH spleen

Fusion Partner: P3-X63-Ag8

Specificity: Mouse I-A^K (Ia.m2)

Visit our website for your local distributor.

CEDARLANE[®]



www.cedarlanelabs.com

An ISO 9001:2000 and ISO 13485:2003
registered company.

In CANADA: Toll Free: 1-800-268-5058

4410 Paletta Court, Burlington, ON L7L 5R2 ph: (289) 288-0001, fax: (289) 288-0020
e-mail: general@cedarlanelabs.com

In the USA: Toll Free: 1-800-721-1644

1210 Turrentine Street, Burlington, NC 27215 ph: (336) 513-5135, fax: (336) 513-5138
e-mail: service@cedarlanelabs.com

TEST RESULTS:


Tissue Distribution by Flow Cytometry Analysis:

Mouse Strain: A.TL

Cell Concentration: 1x10⁶ cells per test

Antibody Concentration Used: 1.0 µg/10⁶ cells

<u>Cell Source</u>	<u>Percentage of cells stained above control:</u>
Thymus	32.5%
Spleen	75.4%
Lymph Node	32.1%
Bone Marrow	21.6%



Cell Source: Spleen

N.B. Appropriate control samples should always be included in any labeling studies.

*** For optimal results in various applications, it is recommended that each investigator determine dilutions appropriate for individual use.**

Strains Tested:

<u>Strains</u>	<u>Haplotypes</u>								<u>+/-</u>
	K	A	B	E	C	S	G	D	
A.TH	s	s	s	s	s	s	s	d	-
A.TL	s	k	k	k	k	k	k	d	+
B10.A	k	k	k	k	d	d	d	d	+
B10.A (4R)	k	k	b	b	b	b	b	b	+
B10.BR	k	k	k	k	k	k	k	k	+
B10.D2	d	d	d	d	d	d	d	d	-
C57BL/6	b	b	b	b	b	b	b	b	-
C3H/He	k	k	k	k	k	k	k	k	+
BALB/c	d	d	d	d	d	d	d	d	-

FOR RESEARCH USE ONLY

® is a Registered Trademark of Cedarlane