



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Technically
Speaking

CEDARLANE[®]
www.cedarlanelabs.com



Conveniently Delivering You Today's Innovations
for the Science of Tomorrow™

**Anti-Mouse I-A^b and I-A^d
Monoclonal Antibody**

Catalogue#	Format	Size	Concentration	Isotype Control
CL8712A	Ascites	0.5ml	NA	CLCMG2A00
CL8712AP	Purified	250µg	1.0 mg/ml	CLCMG2A00
CL8712B	Biotin	100µg	0.1 mg/ml	CLCMG2A15
CL8712F	FITC	100µg	0.1 mg/ml	CLCMG2A01
CL8712PE	PE	50µg	0.1 mg/ml	CLCMG2A04

Isotype: Mouse IgG_{2a}

DESCRIPTION:

Cedarlane's CL8712 is a monoclonal antibody that reacts with I-A^b and I-A^d antigens. Cross reaction with H-2^p and H-2^q was also found.

PRESENTATION:

Ascites: Lyophilized

Purified: Purified IgG buffered in PBS and 0.02% NaN₃. (Purified from ascitic fluid via Protein G Chromatography). For maximum recovery of contents, spin down tube before use.

Biotin, FITC and PE: Biotin/FITC/PE conjugated IgG buffered in PBS, 0.02% NaN₃ and EIA grade BSA as a stabilizing protein to bring total protein concentration to 4-5 mg/ml.

STORAGE/STABILITY:

Store **Ascites** at -20°C. For all other formats, store at 4°C. DO NOT FREEZ **PE** conjugates. For long term storage (**Purified, Biotin** and **FITC**), aliquot and freeze unused portion at -20°C in volumes appropriate for single usage. Avoid freeze/thaw cycles.

SPECIFICATIONS:

Clone: 25-9-17s

Hybridoma Production:

Immunization: Immunogen: C3H.SW splenocytes
Donor: C3H lymphoid cells

Fusion Partner: Sp2/0-Ag14

Specificity: Mouse I-A^b

Visit our website for your local distributor.

CEDARLANE[®]



www.cedarlanelabs.com

An ISO 9001:2000 and ISO 13485:2003
registered company.

In CANADA: Toll Free: 1-800-268-5058

4410 Paletta Court, Burlington, ON L7L 5R2 ph: (289) 288-0001, fax: (289) 288-0020
e-mail: general@cedarlanelabs.com

In the USA: Toll Free: 1-800-721-1644


1210 Turrentine Street, Burlington, NC 27215 ph: (336) 513-5135, fax: (336) 513-5138
e-mail: service@cedarlanelabs.com

TEST RESULTS:

Tissue Distribution by Flow Cytometry Analysis:

Mouse Strain: C57BL/6
 Cell Concentration: 1x10⁶ cells per test
 Antibody Concentration Used: 0.5 µg/10⁶ cells

<u>Cell Source</u>	<u>Percentage of cells stained above control:</u>
Thymus	12.1%
Spleen	60.2%
Lymph Node	35.2%



Cell Source: Spleen

N.B. Appropriate control samples should always be included in any labeling studies.

*** For optimal results in various applications, it is recommended that each investigator determine dilutions appropriate for individual use.**

Strain Distribution by Flow Cytometry Analysis:

Antibody Concentration: 0.5 µg/10⁶ cells
 Strains Tested:

<u>Strain</u>	<u>H-2 Loci Alleles</u>	<u>+/-</u>
	<u>K A_β A_α E_β E_α C4 C4S D</u>	
C57BL/6	b b b b b b b b	+
C3H/He	k k k k k k k k	-
BALB/c	d d d d d d d d	+
DBA/1	q q q q q q q q	(+/-)
SJL	s s s s s s s s	-
B10.M	f f f f f f f f	-
A.TH	s s s s s s s d	-
A.TL	s k k k k k k d	-
B10.A(3R)	b b b b/k k d d d	+
P/J	p p p p p p p p	(+/-)

REFERENCES:

- Ozato, K. and Sachs, D.H. (1981) Journal of Immunology.126, 317-321. Hybridoma antibodies reacting to antigens of the H-2b haplotype reveal genetic control of isotype expression.