



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Technically  
Speaking

**CEDARLANE**<sup>®</sup>  
[www.cedarlanelabs.com](http://www.cedarlanelabs.com)



Conveniently Delivering You Today's Innovations  
for the Science of Tomorrow™

## Glutaraldehyde Stabilized Rhesus Monkey RBCs (1%)

**CLD158**

**Lot:** 165801

**Description:** Cedarlane's **CLD158** are Glutaraldehyde-stabilized freshly prepared Rhesus Monkey Red Blood Cells. Glutaraldehyde stabilized red blood cells are produced from freshly washed Rhesus Monkey RBCs by brief exposure to a glutaraldehyde-buffer solution and exhaustive washing in saline. This treatment largely preserves the native antigenicity of the erythrocytes while rendering the cells generally resistant to lysis by osmotic shock, freeze-thawing or immune hemolysis. This reagent can be used directly in hemagglutination procedures, or may be coupled with various proteins for hemagglutination testing.

**Presentation:** 5 x 2 mls of glutaraldehyde-stabilized Rhesus Monkey RBCs in saline with 0.1% NaN<sub>3</sub> (1%).

**Storage:** Store at 4°C. DO NOT FREEZE.

**Applications:** This product is suitable for use in hemagglutination assays.

**Test Type:**

**Settling Pattern:**

100 µl of 1% resuspended cells of lot 165801 when mixed with 100 µl of 1:100 diluted heat inactivated normal rabbit serum in saline in U-bottom microtiter plate wells settle into buttons within 2-4 hours.

**Presence of Agglutinogens:**

100 µl of 1% resuspended cells of lot 165801 when mixed with 100 µl of agglutinin dilutions made in 1:100 diluted normal rabbit serum in saline in U-bottom microtiter plate wells; incubated @ 37°C for 20 minutes and 20°C for 2-4 hours form typical hemagglutination patterns.

**Microscope Observations:**

No crenation.

Optimum conditions for use of this product in analytical procedures should be established in each laboratory

**Laboratory Reagent For Research Use Only**

XMT 05/13/16

Visit our website for your local distributor.

**CEDARLANE**<sup>®</sup>



[www.cedarlanelabs.com](http://www.cedarlanelabs.com)

An ISO 9001:2000 and ISO 13485:2003  
registered company.

In CANADA: **Toll Free: 1-800-268-5058**

4410 Paletta Court, Burlington, ON L7L 5R2 ph: (289) 288-0001, fax: (289) 288-0020  
e-mail: [general@cedarlanelabs.com](mailto:general@cedarlanelabs.com)

In the USA: **Toll Free: 1-800-721-1644**

1210 Turrentine Street, Burlington, NC 27215 ph: (336) 513-5135, fax: (336) 513-5138  
e-mail: [service@cedarlanelabs.com](mailto:service@cedarlanelabs.com)