



**SZABO  
SCANDIC**

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](http://linkedin.com/company/szaboscandic)



## Human Factor VIII

**CLPRO317**

**CLPRO317-2**

**CLPRO317-3**

**Lot:**

**Description:** Human Factor VIII produced from Human Plasma is effective in the correction and prevention of severe bleeding episodes attributed to Factor VIII deficiency. The Factor-VIII is purified by proprietary chromatographic techniques.

**Synonyms:** Coagulation factor VIII, Procoagulant component, Antihemophilic factor, AHF, F8, F8C, F8B, HEMA, FVIII, DXS1253E, F8 protein.

**Source:** Human Plasma

**Presentation:** 200 IU (**CLPRO317**), 400 IU (**CLPRO317-2**) or 600 IU (**CLPRO317-3**) was lyophilized from a sterile solution (200 IU/ml) containing 1.5% Glycine, 160 mM Calcium chloride, 25 mM NaCitrate and 25mM NaCl.

**Solubility:** It is recommended to reconstitute the lyophilized Factor-VIII in sterile 18MO-cm H<sub>2</sub>O at a concentration of 200 IU/ml, which can then be further diluted to other aqueous solutions. Allow product to reach room temperature prior to reconstitution, otherwise it may precipitate.

**Stability:** Lyophilized Factor-VIII although stable at room temperature for 1 week, should be stored desiccated between 2-8°C. Upon reconstitution Factor-VIII should be stored at 4°C.

**Biological Activity:** The potency per mg was tested and found to be 150 Units/mg.

**Human Virus Test:** The plasma is collected from donors with Hepatitis B vaccinated. Each unit of plasma has been tested for HBsAg, Anti-HIV-1/2 plus O and Anti-HCV by using the imported kits which are approved by Federal Drug Administration (FDA).

### Laboratory Reagent For Research Use Only

JV 07/21/10

Visit our website for your local distributor.

**CEDARLANE®**  
  
[www.cedarlanelabs.com](http://www.cedarlanelabs.com)

An ISO 9001:2000 and ISO 13485:2003  
registered company.

**In CANADA: Toll Free: 1-800-268-5058**

4410 Paletta Court, Burlington, ON L7L 5R2 ph: (289) 288-0001, fax: (289) 288-0020  
e-mail: general@cedarlanelabs.com

**In the USA: Toll Free: 1-800-721-1644**

1210 Turrentine Street, Burlington, NC 27215 ph: (336) 513-5135, fax: (336) 513-5138  
e-mail: service@cedarlanelabs.com

