



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



Place your order with CEDARLANE® or your local distributor.

Please contact CEDARLANE® for lot specific information.

Mouse Anti-Human bcl-2 Oncoprotein

CLSG36520

Lot:

Description: This monoclonal antibody is directed against human bcl-2 oncoprotein, encoded by a gene involved in the 14; 18 chromosomal translocation. In lymphoid tissues, this antibody stains B-lymphocytes and T cells.

Presentation: 100 µg, tissue culture supernatant containing sodium azide (NaN₃) as a preservative.

Immunogen: Recombinant bcl-2 peptide sequence comprising of 51-54 amino acids of bcl-2 oncoprotein

Isotype: Mouse IgG₁ kappa

Clone: 124

Applications: This antibody is suitable for use in immunohistochemistry. We recommend a starting dilution of 1:25 – 1:50 for use with an ABC method, with an incubation period of 30 minutes at room temperature. This antibody works well with B5 or Bouin's fixed tissues. Formalin-fixed tissues may give inconsistent results. For optimal results in various applications, it is recommended that each investigator determine dilutions and incubation period appropriate for individual use.

Continued Overleaf..

For more information or to place an order please contact...

CEDARLANE®
LABORATORIES LIMITED



toll free: 1-800-268-5058
in North America

phone: (905) 878-8891 • fax: (905) 878-7800

5516 - 8th Line, R.R.#2, Hornby, Ontario, CANADA L0P 1E0

or visit our website for a list of our international distributors including contact information

website: www.cedarlanelabs.com • e-mail: info@cedarlanelabs.com

Positive Control: Tonsil

Cellular Localization: Cell Membrane

Storage: 4°C. Do not use it beyond the expiration date stated on the label.

References:

1. Tsujimoto *et al.* Proc Natl Acad Sci (USA). 1986. **83**: 5214.
2. Clearly *et al.* Cell. 1986. **47**:19.
3. Hockenbery *et al.* Nature. 1990. **348**: 334.
4. Swanson *et al.* Applied Immunohistochemistry. 1993. **1**: 182.

FOR RESEARCH USE ONLY

TN 03/21/05