



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TECHNICALLY *Speaking*

Place your order with CEDARLANE® or your local distributor.
Please contact CEDARLANE® for lot specific information.

Mouse Anti-Pan-Cadherin Monoclonal Antibody

CLSG36532
CLSG36532-05
Lot: 094F1

Immunogen:	Synthetic peptide corresponding to the C-terminal amino acids of chicken N-Cadherin with extra N-terminal lysine residue.
Clone:	CH-19
Isotype:	IgG1
Format:	1 ml (CLSG36532) or 0.5 ml (CLSG36532-05). This antibody is supplied as diluted ascites containing sodium azide as preservative.
Titer/Working Dilution:	This antibody may be diluted to a titer of 1:25-1:50 in an ABC method. However, depending on the staining conditions employed, we suggest that final dilution should be determined by the user.
Staining Protocol:	We suggest an incubation period of 30 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation should be determined by the user. <u>Proteolytic treatment prior to immunostaining is required.</u>
Specificity:	This antibody reacts with pan cadherin with a distinct 135 kDa band in a wide variety of tissues. Cadherins are members of a multi-gene family of single chain glycoprotein receptors mediating Ca ²⁺ dependent cell-cell adhesion. This antibody cross-reacts with a wide variety of mammalian species.
Positive Control:	Tonsil
Cellular Localization:	Cell membrane

Continued Overleaf...

For more information or to place an order please contact...

CEDARLANE®
LABORATORIES LIMITED



toll free: 1-800-268-5058
in North America

phone: (905) 878-8891 • fax: (905) 878-7800

5516 - 8th Line, R.R.#2, Hornby, Ontario, CANADA L0P 1E0

or visit our website for a list of our international distributors including contact information
website: www.cedarlanelabs.com • e-mail: info@cedarlanelabs.com

Storage:

Store the antibody at 2-8°C. Do not use it beyond the expiration date stated on the label.

References:

- i) Geiger et al. J cell Sciences 97: 607, 1990.
- ii) Grunwald et al. Curr Opin Cell Biol 5: 797, 1993.
- iii) Takeichi et al. Development 102: 639, 1988.

Laboratory Reagent For Research Use Only