



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Technically
Speaking

CEDARLANE[®]
www.cedarlanelabs.com



Conveniently Delivering You Today's Innovations
for the Science of Tomorrow™

Mouse Anti-CD1a, Cortical Thymocytes Monoclonal Antibody

CLSG36545
CLSG36545-05
Lot:

Clone: O10

Isotype: IgG1, Kappa

Format: **1 ml (CLSG36545)** or **0.5 ml (CLSG36545-05)**. This antibody is supplied as culture supernatant containing sodium azide as preservative.

Titer/Working Dilution: This antibody may be diluted to a titer of 1:20-1:55 in an ABC method. The final dilution should be determined by the user based upon staining conditions employed.

Staining Protocol: We suggest an incubation period of 30 minutes at room temperature. Optimal incubation conditions should be determined by the user based upon the fixation conditions and staining system employed. Formalin fixed paraffin embedded tissue sections require high temperature antigen unmasking with 1mM EDTA buffer, pH 8.0 prior to immunostaining.

Specificity: This antibody reacts with a 49 kD protein. At least five CD1 genes are identified (CD1a, b, c, d and e). This antibody reacts with cortical thymocytes, Langerhans cells in epidermis, dendritic cells of dermis, and Langerhans cells of mucosa of tonsil. This antibody may be useful in the characterization of leukemias and lymphomas.

Positive Control: Tonsil

Cellular Localization: Cell membrane and cytoplasm

Continued...

Visit our website for your local distributor.

CEDARLANE[®]



www.cedarlanelabs.com

An ISO 9001:2000 and ISO 13485:2003
registered company.

In CANADA: Toll Free: 1-800-268-5058

4410 Paletta Court, Burlington, ON L7L 5R2 ph: (289) 288-0001, fax: (289) 288-0020
e-mail: general@cedarlanelabs.com

In the USA: Toll Free: 1-800-721-1644

1210 Turrentine Street, Burlington, NC 27215 ph: (336) 513-5135, fax: (336) 513-5138
e-mail: service@cedarlanelabs.com

Storage:

Store the antibody at 2-8°C. Do not use it beyond the expiration date stated on the label.

References:

- i) Aractingi et al. J Clin Pathol 50: 305, 1997.
- ii) Bobryshev et al. Pathol Res Pract 192: 462, 1996.
- iii) Mazal et al. Clin Neuropathol 15: 87, 1996.

Laboratory Reagent For Research Use Only

BA 03/27/12