



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Technically
Speaking

CEDARLANE[®] 
www.cedarlanelabs.com

Conveniently Delivering You Today's Innovations
for the Science of Tomorrow™

Mouse Anti-Human CD3 Monoclonal Antibody

CLSG36548, CLSG36548-05

Immunogen:	Epsilon Chain of CD3.
Clone:	PS1
Isotype:	IgG2a
Format:	1ml (CLSG36548), 0.5ml (CLSG36548-05). This antibody is supplied as tissue culture supernatant containing sodium azide as preservative.
Titer/Working Dilution:	This antibody may be diluted to a titer of 1:25-1:50 in an ABC method. However, depending on the staining conditions employed, we suggest that final dilution should be determined by the user.
Staining Protocol:	We suggest an incubation period of 60 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation should be determined by the user. <u>Formalin fixed paraffin embedded tissue sections require high temperature antigen unmasking with 10 mM citrate buffer, pH 6.0 prior to immunostaining.</u>
Specificity:	This antibody reacts specifically with the epsilon chain of the CD3 complex. This antibody is a pan T cell marker. On the lymphocyte surface, this antibody binds to 22/26/30 kD molecule, which is associated with T cell antigen receptor complex. This antibody reacts with T cell chronic lymphocytic leukemias as well as with acute lymphoblastic leukemias of T cell origin.
Positive Control:	Tonsil
Cellular Localization:	Cell membrane

Visit our website for your local distributor.

CEDARLANE[®] 

www.cedarlanelabs.com

An ISO 9001:2000 and ISO 13485:2003
registered company.

In CANADA: Toll Free: 1-800-268-5058

4410 Paletta Court, Burlington, ON L7L 5R2 ph: (289) 288-0001, fax: (289) 288-0020
e-mail: general@cedarlanelabs.com

In the USA: Toll Free: 1-800-721-1644

1210 Turrentine Street, Burlington, NC 27215 ph: (336) 513-5135, fax: (336) 513-5138
e-mail: service@cedarlanelabs.com

Storage:

Store the antibody at 4-8°C. Do not use it beyond the expiration date stated on the label.

References:

- i) Chetty et al. J Pathol 173: 303, 1994.
- ii) Clevers et al. Ann Review Immunol 6: 629, 1988.
- iii) Clevers et al. Eur J Immunol 18: 705, 1988.
- iv) Meuer et al. Immunol Today 10: 225, 1989.

For Research Use Only

MW 08/04/15