



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TECHNICALLY *Speaking*

Place your order with CEDARLANE® or your local distributor.

Please contact CEDARLANE® for lot specific information.

Mouse Anti-Human T Cell, CD8 Monoclonal Antibody

CLSG36556

Lot:

Immunogen:

Synthetic peptide comprising of 13 C terminal amino acids of the cytoplasmic domain of CD8 molecule.

Clone:

144B

Isotype:

IgG1, kappa.

Format:

1ml. This antibody is supplied as tissue culture supernatant containing sodium azide as preservative.

Titer/Working Dilution:

This antibody may be diluted to a titer of 1:25-1:50 in an ABC method. However, depending on the staining conditions employed, we suggest that final dilution should be determined by the user.

Staining Protocol:

We suggest an incubation period of 60 minutes at room temperature or overnight at 4°C. However, depending upon the fixation conditions and the staining system employed, optimal incubation should be determined by the user. Formalin fixed paraffin embedded tissue sections require high temperature antigen unmasking with 10 mM citrate buffer, pH 6.0 prior to immunostaining.

Specificity:

This antibody reacts specifically with a 32 kD protein similar to CD8 molecule. This antibody stains cytotoxic/suppressor T cells and shows a staining pattern similar to clustered CD8 monoclonal antibodies.

Positive Control:

Tonsil

Cellular Localization:

Cell membrane

Storage:

Store the antibody at 4-8°C. Do not use it beyond the expiration date stated on the label.

Continued Overleaf...

For more information or to place an order please contact...

CEDARLANE®
LABORATORIES LIMITED



toll free: 1-800-268-5058
in North America

phone: (905) 878-8891 • fax: (905) 878-7800

5516 - 8th Line, R.R.#2, Hornby, Ontario, CANADA L0P 1E0

or visit our website for a list of our international distributors including contact information
website: www.cedarlanelabs.com • e-mail: info@cedarlanelabs.com

References:

i) Mason et al J Clin Pathol 45: 1084, 1992.

For Research Use Only. Not for Diagnostic or Therapeutic Work.

JV 01/25/06