



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TECHNICALLY Speaking

Place your order with CEDARLANE® or your local distributor.
Please contact CEDARLANE® for lot specific information.

Mouse Anti-Human CD31 Monoclonal Antibody

CLSG36582
CLSG36582-05
Lot:

Immunogen:	BALB/C mice were immunized with membrane preparation of a spleen from a patient with hairy cell leukemia.
Clone:	JC/70A
Isotype:	IgG1, Kappa
Format:	1 ml (CLSG36582) or 0.5 ml (CLSG36582-05). This antibody is supplied as tissue culture supernatant containing sodium azide as preservative.
Titer/Working Dilution:	This antibody may be diluted to a titer of 1:10-1:25 in an ABC method. However, depending on the staining conditions employed, we suggest that final dilution should be determined by the user.
Staining Protocol:	We suggest an incubation period of 30 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation should be determined by the user. <u>Enzymatic digestion of paraffin embedded tissues is recommended prior to the immunostaining.</u>
Specificity:	This antibody reacts with a 100 kDa glycoprotein expressed by endothelial cells and 130 kDa glycoprotein present in platelets. It stains endothelial cells in normal as well as malignant tissues.
Positive Control:	Tonsil
Cellular Localization:	Cell membrane
Storage:	Store the antibody at 4-8°C. Do not use it beyond the expiration date stated on the label.
References:	i) Parums <i>et al.</i> J Clin Pathol 43: 752, 1990.

Laboratory Reagent For Research Use Only

JV 05/29/07

For more information or to place an order please contact...

CEDARLANE®
LABORATORIES LIMITED



toll free: 1-800-268-5058
in North America

phone: (905) 878-8891 • fax: (905) 878-7800

5516 - 8th Line, R.R.#2, Hornby, Ontario, CANADA L0P 1E0

or visit our website for a list of our international distributors including contact information
website: www.cedarlanelabs.com • e-mail: info@cedarlanelabs.com