



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

# TECHNICALLY *Speaking*

Place your order with CEDARLANE® or your local distributor.  
Please contact CEDARLANE® for lot specific information.

## Mouse Anti-Human Platelet Glycoprotein IIIa, CD61 Monoclonal Antibody

CLSG36610  
CLSG36610-05  
Lot:

**Immunogen:** BALB/C mice were immunized with PHA-stimulated human mononuclear cells.

**Clone:** Y2/51

**Isotype:** IgG1, Kappa

**Format:** 1 ml (CLSG36610) or 0.5 ml (CLSG36610-05). This antibody is supplied as tissue culture supernatant containing azide as the preservative.

**Titer/Working Dilution:** This antibody may be diluted to a titer of 1:25-1:50 in an ABC method. However, depending on the staining conditions employed, we suggest that final dilution should be determined by the user.

**Staining Protocol:** We suggest an incubation period of 30 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation should be determined by the user. This antibody is not compatible with Zenker and B5 fixed tissues. Enzymatic predigestion of paraffin embedded tissues is recommended prior to the immunostaining.

Continued Overleaf...

For more information or to place an order please contact...

**CEDARLANE®**  
**LABORATORIES LIMITED**



*toll free: 1-800-268-5058*  
*in North America*

phone: (905) 878-8891 • fax: (905) 878-7800

5516 - 8th Line, R.R.#2, Hornby, Ontario, CANADA L0P 1E0

or visit our website for a list of our international distributors including contact information  
website: [www.cedarlanelabs.com](http://www.cedarlanelabs.com) • e-mail: [info@cedarlanelabs.com](mailto:info@cedarlanelabs.com)

**Specificity:** This antibody recognizes a glycoprotein of 110 kDa molecular weight present on human platelets and also reacts with megakaryocytes and megakaryoblasts. The antigen is also present on endothelium and osteoclasts. The glycoprotein IIIa molecule produced by endothelium cells is identical in sequence to platelet glycoprotein IIIa.

**Positive Control:** Tonsil

**Cellular Localization:** Cell membrane

**Storage:** Store the antibody 2-8°C. Do not use it beyond the expiration date stated on the label.

**References:**

- i) Gatter et al. Histopathol 13: 257, 1988.
- ii) Kanz et al. Exp Hematol 16: 741, 1988.
- iii) Zimrin et al. J Clin Invest 81: 1470, 1988.

**FOR RESEARCH USE ONLY.**