



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TECHNICALLY *Speaking*

Place your order with CEDARLANE® or your local distributor.

Please contact CEDARLANE® for lot specific information.

Mouse anti-Human Cyclin D1 Monoclonal Antibody

CLSG36649

Lot#:

Immunogen: BALB/C mice were immunized with human recombinant cyclin D1 protein.

Size: 1 ml

Clone: DCS-6

Isotype: IgG2a

Format: This antibody is supplied as purified immunoglobulin fraction containing sodium azide as preservative.

Titer/Working Dilution: This antibody may be diluted to a titer of 1:25-1:50 in an ABC method. However, depending on the staining conditions employed, we suggest that final dilution should be determined by the user.

Staining Protocol: We suggest an incubation period of 30 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation should be determined by the user. Formalin fixed paraffin embedded tissue sections require high temperature antigen unmasking with 10 mM citrate buffer, pH 6.0 prior to immunostaining.

Specificity: This antibody is specific to human cyclin D1. Cyclin D1 gene is located on 11q13 and has been shown to be amplified in a variety of tumors. Maximum expression of cyclin D1 occurs at a critical point in mid to late G1 phase of the cell cycle. This antibody cross reacts with monkey, rat and mouse.

Positive Control: Breast carcinoma

Cellular Localization: Nuclear

Continued overleaf...

For more information or to place an order please contact...

CEDARLANE®
LABORATORIES LIMITED



toll free: 1-800-268-5058
in North America

phone: (905) 878-8891 • fax: (905) 878-7800

5516 - 8th Line, R.R.#2, Hornby, Ontario, CANADA L0P 1E0

or visit our website for a list of our international distributors including contact information
website: www.cedarlanelabs.com • e-mail: info@cedarlanelabs.com

Other applications: Immunoprecipitation (1:50), Western Blotting (1:50 to 1:100)

Storage: Store the antibody at 4⁰ C. Do not use it beyond the expiration date stated on the label.

References:

- i) Bartkova et al. Intl J Can 57: 353, 1994.
- ii) Bartkova et al. J Pathol 172: 237, 1994.
- iii) Gillett et al. Can Res 54: 1812, 1994.
- iv) Luka et al. J Cell Biol 125: 625, 1994.

For Research Use Only. Not for Diagnostic or Therapeutic Work.

JCr 04/10/06