



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TECHNICALLY *Speaking*

Place your order with CEDARLANE® or your local distributor.

Please contact CEDARLANE® for lot specific information.

Mouse Anti-Human Estrogen Receptor

CLSG36713

Lot:

Description: This monoclonal antibody is directed against human estrogen receptor, which is associated with superior prognosis and a better response to endocrine therapy. The nuclei of the estrogen receptor positive cells stain very strongly with this antibody, without any staining in the cytoplasm.

Presentation: 0.5ml, tissue culture supernatant and containing 0.05% sodium azide (NaN_3) as a preservative.

Immunogen: Prokaryotic recombinant protein corresponding to the full-length estrogen receptor molecule.

Isotype: Mouse IgG₁

Clone: 6F11

Application: This antibody is suitable for use in immunohistochemistry. We recommend a starting dilution of 1:20 – 1:80 with an ABC method, and an incubation period of 30 minutes at room temperature. Formalin-fixed paraffin embedded tissue sections require high temperature antigen unmasking with 10mM citrate buffer, pH 6.0 prior to immunostaining.

Continued Overleaf...

For more information or to place an order please contact...

CEDARLANE®
LABORATORIES LIMITED



toll free: 1-800-268-5058
in North America

phone: (905) 878-8891 • fax: (905) 878-7800

5516 - 8th Line, R.R.#2, Hornby, Ontario, CANADA L0P 1E0

or visit our website for a list of our international distributors including contact information

website: www.cedarlanelabs.com • e-mail: info@cedarlanelabs.com

This antibody is also suitable for Western Blotting (1:50 – 1:100) and Immunoprecipitation (1:50).

For optimal results in various applications, it is recommended that each investigator determine dilutions and incubation period appropriate for individual use.

Positive Control: Breast carcinoma

Cellular Localization: Nuclear

Storage: 4°C. Check label for expiry date.

References: 1. Bur *et al.* Cancer 69: 1174, 1992.

2. Graham *et al.* Am. J. Surg. Pathol. 15: 475, 1991.

3. Kumar *et al.* Cell 51: 941, 1987.

4. Pertschuk *et al.* Cancer 66: 1663, 1990.

5. Deamant *et al.* Applied Immunohistochemistry 1: 188, 1993.

FOR RESEARCH USE ONLY

TN 04/15/05