



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TECHNICALLY Speaking

Place your order with CEDARLANE® or your local distributor.
Please contact CEDARLANE® for lot specific information.

Mouse Anti-Human Von Willebrand Factor Monoclonal Antibody

CLSG36717
CLSG36717-05
Lot: H188

Immunogen:	Von Willebrand factor isolated from human plasma.
Clone:	F8/86
Isotype:	IgG1, Kappa
Format:	1 ml (CLSG36717) or 0.5 ml (CLSG36717-05). This antibody is supplied as tissue culture supernatant containing sodium azide as preservative.
Titer/Working Dilution:	This antibody may be diluted to a titer of 1:15-1:30 in an ABC method. However, depending on the staining conditions employed, we suggest that final dilution should be determined by the user.
Staining Protocol:	We suggest an incubation period of 30 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation should be determined by the user.
Specificity:	This antibody reacts with Von Willebrand factor in endothelial cells. It also reacts with megakaryocytes in human bone marrow. <u>Proteolytic enzyme digestion of formalin fixed paraffin embedded tissue sections is required prior to immunostaining.</u>
Positive Control:	Tonsil
Cellular Localization:	Cytoplasmic
Storage:	Store the antibody at 2-8°C. Do not use it beyond the expiration date stated on the label.
References:	i) Hruban et al. Am J Clin Pathol 88:578, 1987. ii) Naiem et al. J Immunol Meth 50: 145, 1982.

Laboratory Reagent For Research Use Only

JV 06/04/08

For more information or to place an order please contact...

CEDARLANE®
LABORATORIES LIMITED



toll free: 1-800-268-5058
in North America

phone: (905) 878-8891 • fax: (905) 878-7800

5516 - 8th Line, R.R.#2, Hornby, Ontario, CANADA L0P 1E0

or visit our website for a list of our international distributors including contact information
website: www.cedarlanelabs.com • e-mail: info@cedarlanelabs.com