



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TECHNICALLY *Speaking*

Place your order with CEDARLANE® or your local distributor.

Please contact CEDARLANE® for lot specific information.

Purified Mouse IgG1 anti-S-100

CLSG36849

Lot #:

Immunogen:

Purified bovine brain S-100b preparation.

Clone:

SH-B1

Isotype:

IgG1

Size:

1 ml

Format:

This **antibody is supplied** as diluted ascites containing sodium azide as preservative.

Titer/Working Dilution:

This antibody may be diluted to a titer of 1:50-1:100 in an ABC method. However, depending on the staining conditions employed, we suggest that final dilution should be determined by the user.

Staining Protocol:

We **suggest an incubation** period of 30 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation should be determined by the user. Proteolytic digestion of tissue sections is required prior to immunostaining.

Specificity:

This antibody is specific against an epitope located on the α chain (i.e. in S-100a and S-100b) but not on the β chain of S-100 (i.e. in S-100a and S-100ao). This antibody cross reacts with human, porcine, rabbit, cat and rat tissues. This antibody can be used to localize S-100a and S-100b in various tissue sections.

For more information or to place an order please contact...

CEDARLANE®
LABORATORIES LIMITED



toll free: 1-800-268-5058
in North America

phone: (905) 878-8891 • fax: (905) 878-7800

5516 - 8th Line, R.R.#2, Hornby, Ontario, CANADA L0P 1E0

or visit our website for a list of our international distributors including contact information

website: www.cedarlanelabs.com • e-mail: info@cedarlanelabs.com

- Positive Control:** Melanoma
- Cellular Localization:** Cytoplasmic
- Storage:** Store the antibody at 4-8 °C. Do not use it beyond the expiration date stated on the label.
- References:**
- i) Baudier *et al.* J. Biol. Chem. **261**: 8192, 1986.
 - ii) Mani *et al.* Biochemistry **21**: 2607, 1982.
 - iii) Takahashi *et al.* Virchows Arch. (Cell. Pathol.) **45**: 385, 1984.
 - iv) Kan-Mitchell *et al.* Invest. Ophthalm. **31**: 1492, 1990.

For Research Use Only. Not for Diagnostic or Therapeutic Work.

CH 09/13/05