



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TECHNICALLY *Speaking*

Place your order with CEDARLANE® or your local distributor.

Please contact CEDARLANE® for lot specific information.

Purified Mouse IgG2a anti-S-100

CLSG36850

Lot #:

Immunogen:

BALB/C mice were immunized with purified bovine brain S-100 protein

Clone:

4C4.9

Isotype:

IgG2a

Size:

1 ml

Format:

This antibody is supplied as purified ascites containing sodium azide as preservative.

Titer/Working Dilution:

This antibody may be diluted to a titer of 1:50-1:100 in an ABC method. However, depending on the staining conditions employed, we suggest that final dilution should be determined by the user.

Staining Protocol:

We suggest an incubation period of 30 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation should be determined by the user. Suitable for formalin fixed tissues. No treatment is required.

For more information or to place an order please contact...

CEDARLANE®
LABORATORIES LIMITED



toll free: 1-800-268-5058
in North America

phone: (905) 878-8891 • fax: (905) 878-7800

5516 - 8th Line, R.R.#2, Hornby, Ontario, CANADA L0P 1E0

or visit our website for a list of our international distributors including contact information

website: www.cedarlanelabs.com • e-mail: info@cedarlanelabs.com

Specificity:	This antibody stains with S-100 protein. S-100 belongs to the family of calcium binding proteins such as calmodulin and troponin C. S-100A and S-100B proteins are two members of the S-100 family. S-100A is composed of an alpha and beta chain whereas S-100B is composed of two beta chains. This antibody stains Schwannomas, ependymomas, astroglomas; almost all benign and malignant melanomas and their metastases. This antibody cross-reacts with human, cow, mouse and rat.
Positive Control:	Melanoma
Cellular Localization:	Cytoplasmic
Storage:	Store the antibody at 4-8°C. Do not use it beyond the expiration date stated on the label.
References:	Barrett <i>et al.</i> J. Oral. Pathol. Medicine 23 : 433, 1994. Joshi <i>et al.</i> Mod. Pathol. 9 : 57, 1996. Matsushima <i>et al.</i> J. Surg. Oncol. 55 : 108, 1994. McLaren <i>et al.</i> Human Pathol. 27 : 633, 1996.

For Research Use Only. Not for Diagnostic or Therapeutic Work.

CH 09/13/05