



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



Place your order with CEDARLANE® or your local distributor.

*Please contact CEDARLANE® for lot specific information.*

## **Purified Mouse Anti-Human VEGF (Vascular Endothelial Growth Factor)**

**CLSG36876**

**Lot:**

**Description:** This monoclonal antibody is directed against human VEGF, and detects a cluster of proteins between 19-22 kD (reduced). Vascular endothelial growth factor (VEGF) is a homodimeric, disulfide-linked glycoprotein involved in angiogenesis which promotes tumor progression and metastasis. It exhibits potent mitogenic and permeability inducing properties specific for the vascular endothelium.

**Presentation:** 1ml, purified from ascites by protein G chromatography, containing sodium azide (NaN<sub>3</sub>) as a preservative.

**Immunogen:** BALB/C mice were injected with a recombinant VEGF protein.

**Isotype:** Mouse IgG<sub>1</sub> kappa

**Clone:** VG1

**Application:** This antibody is suitable for use in immunohistochemistry. We recommend a starting dilution of 1:25 – 1:50 with an ABC method, and an incubation period of 30 minutes at room temperature. Formalin-fixed paraffin embedded tissue sections require high temperature treatment using 1mM EDTA, pH 8.0 prior to immunostaining.

*Continued Overleaf..*

For more information or to place an order please contact...

**CEDARLANE®**  
**LABORATORIES LIMITED**



**toll free: 1-800-268-5058**  
*in North America*

phone: (905) 878-8891 • fax: (905) 878-7800

5516 - 8th Line, R.R.#2, Hornby, Ontario, CANADA L0P 1E0

or visit our website for a list of our international distributors including contact information

website: [www.cedarlanelabs.com](http://www.cedarlanelabs.com) • e-mail: [info@cedarlanelabs.com](mailto:info@cedarlanelabs.com)

For optimal results in various applications, it is recommended that each investigator determine dilutions and incubation period appropriate for individual use.

**Positive Control:** Astrocytoma

**Cellular Localization:** Cytoplasmic, cell membrane, extracellular matrix

**Storage:** 4°C. Check label for expiry date.

**References:**

1. O'Byrne *et al.* Br. J. Cancer 82: 1427, 2000.
2. Turley *et al.* J. Pathol. 186: 313, 1998.

**FOR RESEARCH USE ONLY**

TN 03/24/05