



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TECHNICALLY *Speaking*

Place your order with CEDARLANE® or your local distributor.

Please contact CEDARLANE® for lot specific information.

Purified Rabbit anti-S-100

CLSG36983

Lot #:

Immunogen:

brain.

Affinity purified S-100 protein isolated from cow

Host:

Rabbit

Size:

1 ml

Format:

Purified immunoglobulin fraction of rabbit antiserum against S-100 containing sodium azide as preservative.

Titer/Working Dilution:

This antibody may be diluted to a titer of 1:50-1:200 in an ABC method. However, depending on the staining conditions employed, we suggest that final dilution should be determined by the user.

Staining Protocol:

We suggest an incubation period of 30 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation conditions should be determined by the user. Proteolytic treatment is required prior to immunostaining of formalin fixed paraffin embedded tissue sections.

Specificity:

This antibody reacts with cow S-100 protein A and B. It shows strong cross-reactivity with human S-100 A and B. In the brain, it labels glial and ependymal cells. Melanocytes and Langerhans cells of the skin stain positive with this antibody.

For more information or to place an order please contact...

CEDARLANE®
LABORATORIES LIMITED



toll free: 1-800-268-5058
in North America

phone: (905) 878-8891 • fax: (905) 878-7800

5516 - 8th Line, R.R.#2, Hornby, Ontario, CANADA L0P 1E0

or visit our website for a list of our international distributors including contact information
website: www.cedarlanelabs.com • e-mail: info@cedarlanelabs.com

Positive Control: Melanoma

Cellular Localization: Cytoplasmic

Storage: Store the antibody at 4-8 °C. Do not use it beyond the expiration date stated on the label.

References:

- i) Moore *et al.* Biochem Biophys Res Comm **19**: 739, 1966.
- ii) Kindblom *et al.* Acta Path Microbiol Immunol Scand Sect A **92**: 219, 1984.
- iii) Winek *et al.* Am J Surg Pathol **13**: 251, 1989.

For Research Use Only. Not for Diagnostic or Therapeutic Work.

CH 09/13/05