



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Technically
Speaking

CEDARLANE[®] 
www.cedarlanelabs.com

Conveniently Delivering You Today's Innovations
for the Science of Tomorrow™

Purified Mouse Anti-Human Tenascin Monoclonal Antibody

CLX185AP

Lot:

Size: 25 µg

Clone: T2H5

Isotype: Mouse IgG1

Specificity: The antibody T2H5 recognizes tenascin, a large hexameric extracellular matrix glycoprotein.

Immunogen: Protein preparation from a homogenate of a human mammary tumour specimen.

Species Reactivity: Human, Other not tested

Application: **Immunohistochemistry (paraffin sections)**
Application note: Immunohistochemical detection of tenascin is valuable for studies of tissue differentiation and tumour growth. The antibody T2H5 is excellent for staining of paraffin-embedded tissue sections.

Immunoprecipitation
Western Blotting

Purity: > 95% (by SDS-PAGE)

Purification: Purified from hybridoma culture supernatant by protein-A affinity chromatography.

Concentration: 1 mg/ml

Storage Buffer: Phosphate buffered saline (PBS) with 15 mM sodium azide, approx. pH 7.4

Storage / Stability: Store at 2-8°C. Do not use after expiration date stamped on vial label. For long-term storage aliquot and store at -20°C. Avoid freeze/thaw cycles.

Continued...

Visit our website for your local distributor.

CEDARLANE[®] 

www.cedarlanelabs.com

An ISO 9001:2000 and ISO 13485:2003
registered company.

In CANADA: Toll Free: 1-800-268-5058

4410 Paletta Court, Burlington, ON L7L 5R2 ph: (289) 288-0001, fax: (289) 288-0020
e-mail: general@cedarlanelabs.com

In the USA: Toll Free: 1-800-721-1644

1210 Turrentine Street, Burlington, NC 27215 ph: (336) 513-5135, fax: (336) 513-5138
e-mail: service@cedarlanelabs.com

References:

- *Tokes AM, Hortovanyi E, Csordas G, Kulka J, Mozes G, Hatalyak A, Kadar A: Immunohistochemical localisation of tenascin in invasive ductal carcinoma of the breast. *Anticancer Res.* 1999 Jan-Feb;19(1A):175-9.
- *Faustino AM, van Garderen E, Schalken JA, Nederbragt H: Tenascin expression in normal, hyperplastic, dysplastic and neoplastic canine mammary tissues. *J Comp Pathol.* 2002 Jan;126(1):1-8.
- *Gulubova M: Immunohistochemical localization of collagen type III and type IV, laminin, tenascin and alpha-smooth muscle actin (alphaSMA) in the human liver in peliosis. *Pathol Res Pract.* 2002;198(12):803-12.
- *Ioachim E, Charchanti A, Briasoulis E, Karavasilis V, Tsanou H, Arvanitis DL, Agnantis NJ, Pavlidis N: Immunohistochemical expression of extracellular matrix components tenascin, fibronectin, collagen type IV and laminin in breast cancer: their prognostic value and role in tumour invasion and progression. *Eur J Cancer.* 2002 Dec;38(18):2362-70.

Laboratory Reagent For Research Use Only

JV 06/08/11