



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TECHNICALLY *Speaking*

Place your order with CEDARLANE® or your local distributor.
Please contact CEDARLANE® for lot specific information.

Purified Mouse Anti-Human CD56 Monoclonal Antibody

CLX61AP

Lot:

Size: 0.1 mg

Clone: MEM-188

Isotype: Mouse IgG2a

Specificity: The antibody MEM-188 reacts with a 180 kDa isoform of CD56 (NCAM) characteristic for leukocytes. CD56 is a single transmembrane glycoprotein (immunoglobulin supergene family); the molecular weights of different isoforms ranging from 135 to 220 kDa. It has been suggested that the antibody MEM-188 could react with rhesus monkey lymphocytes. Reactivity with other NCAM isoforms has not been tested.

HLDA VI; WS code A055

HLDA VI; WS Code NK26

HLDA VII; WS code 70077

Immunogen: KG-1 human acute myelogenous leukaemia cell line.

Species Reactivity: Human, Non-Human Primates

Application: **Flow Cytometry**
Immunoprecipitation
Immunohistochemistry (paraffin sections)

Recommended dilution: 1:50

Pretreatment: Heat retrieval (microwave oven) in citrate buffer standard ABC visualization.

Positive tissue: Positive membrane-specific reaction in adjacent peripheral nerve

Staining of paraprostatic autonomic ganglion.

Staining technique: Standard ABC technique (DAB+).

Purity: > 95% (by SDS-PAGE)

Purification: Purified from hybridoma culture supernatant by protein A-affinity chromatography.

Concentration: 1 mg/ml

Storage Buffer: Phosphate buffered saline (PBS) with 15 mM sodium azide, approx. pH 7.4

Continued Overleaf...

For more information or to place an order please contact...

CEDARLANE®
LABORATORIES LIMITED



toll free: 1-800-268-5058
in North America

phone: (905) 878-8891 • fax: (905) 878-7800

5516 - 8th Line, R.R.#2, Hornby, Ontario, CANADA L0P 1E0

or visit our website for a list of our international distributors including contact information
website: www.cedarlanelabs.com • e-mail: info@cedarlanelabs.com

Storage / Stability: Store at 2-8°C. Do not use after expiration date stamped on vial label. For long-term storage aliquot and store at -20°C. Avoid freeze/thaw cycles.

References:

- Leukocyte Typing VI. Kishimoto T. et al. (Eds.), Garland Publishing Inc. (1997).
- Leukocyte Typing VII. Mason D. et al. (Eds.), Oxford University Press (2002).

This product is made available in collaboration with Exbio Praha, a.s.

Laboratory Reagent For Research Use Only

JV 07/31/07