

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com





Conveniently Delivering You Today's Innovations for the Science of Tomorrow[™]

Human Monocyte Chemotactic Protein-1 (CCL2)

CLY100-13-5UG CLY100-13-20UG CLY100-13-100UG CLY100-13-500UG CLY100-13-1MG

Description: Recombinant Human MCP-1 also known as Monocyte Chemotactic and Activating Factor (MCAF) produced in E.Coli is a non-glycosylated, Polypeptide chain containing 76 amino acids and having a molecular mass of 8607 Dalton.

Source: E.coli

Presentation: 5 µg (CLY100-13-5UG), 20 µg (CLY100-13-20UG), 100 µg (CLY100-13-100UG), 500 µg (CLY100-13-500UG), or 1 mg (CLY100-13-1MG), sterile filtered white lyophilized (freeze-dried) powder. Human MCP-1 is lyophilized with no additives.

Reconstitution: Centrifuge vial before opening. When reconstituting the product, gently pipette and wash down the sides of the vial to ensure full recovery of the protein into solution. It is recommended to reconstitute the lyophilized product with sterile water at a concentration of 0.1 mg/ml, which can be further diluted into other aqueous solutions.

Stability: Lyophilized product is very stable at -20 degrees. Reconstituted material should be aliquoted and frozen at -20°C. It is recommended to add a carrier protein (0.1% HSA or BSA) for long term storage.

Purity:

Greater than 95% as determined by: Analysis by RP-HPLC. Reducing and non- reducing SDS-PAGE.

Protein Content determined by:

UV spectroscopy at 280 nm. Analysis by RP-HPLC calibrated against a known standard. Quantitation on SDS-PAGE against a known standard.

Endotoxin Level: Endotoxin level as measured by kinetic LAL analysis is <0.05 EUs/µg protein (with a 50% confidence range)

Biological Activity: MCP-1 is fully biologically active when compared to standard. The specific activity as determined by the ability of MCP-1 to chemoattract human monocytes using a concentration of 4 - 15 ng/ml.

AA Sequence: QPDAINAPVT CCYNFTNRKI SVQRLASYRR ITSSKCPKEA VIFKTIVAKE ICADPKQKWV **QDSMDHLDKQ TQTPKT**

Laboratory Reagent For Research Use Only

MW 02/11/21

Visit our website for your local distributor. www.cedarlanelabs.com

An ISO 9001:2015 and ISO 13485:2016

registered company.

In CANADA: Toll Free: 1-800-268-5058

4410 Paletta Court, Burlington, ON L7L 5R2 ph: (289) 288-0001, fax: (289) 288-0020 e-mail: general@cedarlanelabs.com

In the USA: Toll Free: 1-800-721-1644 1210 Turrentine Street, Burlington, NC 27215 ph: (336) 513-5135, fax: (336) 513-5138 e-mail: service@cedarlanelabs.com