

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in







DATA SHEET

GFH138

Recombinant Human RANTES / CCL5

Description

Regulated upon activation, normal T cell expressed and secreted (RANTES), also known as CCL5, is a chemokine produced by T cells three to five days after T cell activation. RANTES signals through G protein-coupled receptors CCR5, CCR3, CCR1, and through the human CMV-encoded viral receptor US28. RANTES functions to recruit immune cells to inflammatory sites.

Length68 aaMolecular Weight7.9 kDaSourceE. coliAccession NumberP13501

Purity ≥95% determined by reducing and non-reducing SDS-PAGE

Specifications

Alternative Names CCL5, TCP228, SIS-delta, SCYA5

Biological Activity Human RANTES is fully biologically active when compared to standard. The activity is determined by the ability

to induce chemotaxis of human neutrophils.

Endotoxin Level ≤1.00 EU/µg as measured by kinetic LAL

Formulation Lyophilized from a sterile (0.2 micron) filtered aqueous solution containing 0.1% Trifluoroacetic Acid (TFA)

AA Sequence SPYSSDTTPC CFAYIARPLP RAHIKEYFYT SGKCSNPAVV FVTRKNRQVC ANPEKKWVRE YINSLEMS

Preparation and Storage

Stability and Storage

Reconstitution Centrifuge vial before opening. When reconstituting the product, gently pipet and wash down the sides of the

vial to ensure full recovery of the protein into solution. It is recommended to reconstitute the lyophilized product with sterile water at 0.1 mg/ml, which can be further diluted into other aqueous solutions.


·


1 month when stored at 4°C after reconstituting as directed.


3 months when stored at -20°C to -80°C after reconstituting as directed.

12 months from date of receipt when stored at -20°C to -80°C as supplied.

Data







Non-reducing (-) and reducing (+) conditions in a 4 - 20% Tris-Glycine gel stained with Coomassie Blue. 1 µg of protein was loaded in each lane.

Human RANTES has a predicted Mw of 7.9 kDa.