



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

EBV (HHV-4) gH/gL/gp42 protein complex

CATALOG NUMBER: HHV4-gHL42-23P

Introduction

Herpesviruses have an envelope and an outer lipid bilayer which contains up to twelve surface glycoproteins. For infectivity to be attained, the double stranded DNA genome of EBV must enter the host cell through means of fusion of its envelope with the cellular membrane or via endocytosis.

Epstein-Barr virus (EBV) can infect both B cells and epithelial cells. The mechanisms for entering these two cells are different. The viral three-part glycoprotein complexes of gH/gL/gp42 mediate B cell membrane fusion.

Description

Recombinant EBV gH, gL and gp42 proteins expressed and purified from 293 cells

Viral Protein

C-terminal 6xhis-tagged recombinant EBV gH protein (amino acid 19-678) (GenBank accession#: P03231) in complex with gL (aa 23-137)(GenBank accession#: CAD53428) and gp42 (aa 34-223) (GenBank accession#: YP_401672)

Applications

Western blot standard, antibody ELISA, immunogen, etc.

Storage

Store at -20 °C; Stable for two weeks from the date of shipment when kept at 4 °C. Non-hazardous. No MSDS required.

Concentration



50 µg (1 µg/µl) in PBS

Endotoxin Level

<0.01 EU per 1 µg of the protein by LAL test

Purity

> 95% pure by 10% SDS-PAGE gel



EBV glycoprotein H SEQ:

SLSEVKLHLDIEGHASHYTIPWTELMAKVPGLSPEALWREANVTEDLASMLNRYKLIYKTSGLTGIALAEPVDIPAVSEGSMQVDASKVHPGV
ISGLNSPACMLSAPLEKQLFYIIGTMLPNTRPHSYVFYQLRCHLSYVALSINGDKFYTGAMTSKFLMGTYKRVTEKGDEHVLSLVFGKTKDL
PDLRGPFSSPSLTSAQSGDYSLVIVTTFVHYANFHNIFVFNPKDMFSRAVTMTAASYARYVLQKLVLLEMKGCCREPELDTETLTMTFEVSV
FFKVGHAVGETGNGCVDLRWLAKSFFELTVLKDIIGICYGATVKGMQSYGLERLAAMLMAATVMEELGHLTTEKQYALRLATVGYPKAGVYS
GLIGGATSVLLSAYNRHPLFQPLHTVMRETLFIGSHVVLRELRLNVTQGPNLALYQLLSTALCSALEIGEVLRLGALGTESGLFSPCYLSLR
FDLTRDKLLSMAPEATLDQAASNAVDGFLGRSLEREDRDWHLPAYKCVDRLDKVLMIIPLINVTFISSDREVRGSALYEASTTYLSSS
LFLSPVIMNKCSQGAVAGEPRQIPKIQNFTRTQKSCIFCGFALLSYDEKEGLETTYITSQEVQNSILSSNYFDFDNLHVHYLLLTNGTVME
IAGLYEERA

EBV glycoprotein L SEQ:

NWAYPCCHVTQLRAQHLLALENISDIYLVSNQTCDFSLASLNSPKNGSNQLVISRCANGLNVVSFFISILKRSSSALTGHLR
ELLTTLETLYGSFVSVDLFGANLNRYAWHRGG

EBV Envelope Glycoprotein (gp42) (aa 34-223) SEQ:

GGRVAAAAITWVPKPNVEVWPVDP PPPVNFNKTAEQEYGDKEVKLPHWTPTLHTFQVPQNYTKANCTYCNTREYTF SYKGCCF
YFTKKKHTWNGCFQACAELYPCTYFYGPTPDILPVVTRNLNAIESLWVG VYRVGEGNWTSLDGGTFKVYQIFGSHCTYVSKFS
TVPVSHHECSFLKPCLCVSQRSNS

