



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

(FOR RESEARCH USE ONLY. DO NOT USE IT IN CLINICAL DIAGNOSIS !)

Electrophoresis Buffer (10 ×)

Catalog No: E-BC-R331

Sizes: 100 mL/ 200 mL/ 500 mL

Cat	Products	100 mL	200 mL	500 mL
E-BC-R331	Electrophoresis Buffer (10 ×)	100 mL	100 mL × 2	250 mL × 2
Manual		1 copy		

This manual must be read attentively and completely before using this product.

If you have any problems, please contact our Technical Service Center for help.

Phone: 240-252-7368(USA) 240-252-7376(USA)

Email: techsupport@elabscience.com

Website: www.elabscience.com

Please kindly provide us the lot number (on the outside of the box) of the kit for more efficient service.

Introduction

Tris-Glycine SDS electrophoresis buffer was used in sodium dodecyl sulfate-polyacrylamide gel electrophoresis (SDS-PAGE) for protein denaturation. This product is supplied with 10 × concentrate for easy transportation.

Instructions

This product is a 10 × concentrate, diluted with pure water to 1 × working solution before use. For example: take 100 mL of Electrophoresis Buffer (10 ×), dilute with pure water to 1 L.

1 × Electrophoresis Buffer Components

25 mM Tris, 250 mM Glycine, 0.1% SDS, pH8.3.

Storage

Store at room temperature for 6 months.

Cautions

1. This product is a high concentrate. When the temperature is low, crystals may be precipitated. It can be heated to dissolve. Diluted after it is completely dissolved.
2. Keep the product sealed to prevent from pollution.
3. For your safety and health, please wear the lab coat and disposable gloves before the experiments.