



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

200mM L-Alanyl-L-Glutamine Solution (100×)

Cat. No: PB180419
Size: 100mL

General Information

Product Form	Liquid
Concentration	200mM
L-alanyl L-glutamine- solution	200mM
Recommended working concentration	1mM-4mM
Dissolvent	0.85% NaCl
Storage	2-8°C
Shipping	RT
Expiration date	36 months

Background

L-alanyl-L-glutamine is an advanced cell culture additive and as a substitute for L-glutamine. L-glutamine is a necessary nutrient element for cells. But it is unstable in solution and can be degraded spontaneously to form ammonia and pyroglutamic acid and ammonia is harmful to cells. L-alanyl-L-glutamine is stable in aqueous solution and does not degrade spontaneously. The mechanism used by the cell is that the cell gradually releases a peptidase into the culture medium during cell culture. The peptidase can hydrolyze L-alanyl-L-glutamine into L-alanine and L-glutamine. L-alanine and L-glutamine can be absorbed and utilized by cells. This not only increases the utilization rate of L-glutamine, but also does not produce excess ammonia, which is more beneficial to cell growth.

Notes

1. This product is for research use only.
2. This product is sterilized by 0.22 μ m filtration.
3. It is necessary to pay attention to the aseptic operation and avoid the pollution.
4. It will take some time to release peptidase and metabolize dipeptide, so the delay period of cells will be slightly longer. But there is no effect to cell growth.
5. This product is a concentrated solution and dilute it to the desired concentration before use.