

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

Recombinant Human S100A8 Protein (His Tag)


Catalog Number:PDEH100024



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Synonyms60B8Ag;A1323541;B8Ag;BEE11;CAGA;Calgranulin-A;Calprotectin L1L subunit;Calprotectin;CFAG;CGLA;Chemotactic cytokine CP-10;CP-10;Cystic fibrosis antigen;L1Ag;Leukocyte L1 complex light chain;MA387;MIF;Migration inhibitory factor-related protein 8;MRP-8;Myeloid-related protein 8;Neutrophil cytosolic 7 kDa protein;NIF;Ps,Pro-inflammatory S100 cytokine;Protein S100-A8;S100 calcium-binding protein A8 (calgranulin A);S100 calcium binding protein A8;S100 calcium-binding protein A8;S100A8/S100A9 (complex;S10A8;Urinary stone protein band ASpeciesHumanExpression HostE.coliSquareMet1-Glu93 AccessionObserved molecular weight10.8 kDaTagN=PropertiesPurity> 90 % as determined by reducing SDS-PAGE.EndotoxinPicase contact us for more information.StorageGenerally, lyophilized protein salution can be stored at 4-8°C for 2-7 days. A	Description	
Expression HostE. coliExpression HostE. coliSequenceMet1-Glu93AccessionP05109-1Calculated Molecular Weight10.8 kDaObserved molecular weight13.1 kDaTagN-HisPropertiesPurity> 90 % as determined by reducing SDS-PAGE.EndotoxinPlease contact us for more information.StorageGenerally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.	Synonyms	subunit;Calprotectin;CFAG;CGLA;Chemotactic cytokine CP-10;CP-10;Cystic fibrosis antigen;L1Ag;Leukocyte L1 complex light chain;MA387;MIF;Migration inhibitory factor-related protein 8;MRP-8;Myeloid-related protein 8;Neutrophil cytosolic 7 kDa protein;NIF;p8;Pro-inflammatory S100 cytokine;Protein S100-A8;S100 calcium binding protein A8 (calgranulin A);S100 calcium binding protein A8;S100 calcium-binding protein A8;S100A8;S100A8/S100A9
SequenceMet1-Glu93AccessionP05109-1Calculated Molecular Weight10.8 kDaObserved molecular weight13.1 kDaTagN-HisPropertiesPurity> 90 % as determined by reducing SDS-PAGE.EndotoxinPlease contact us for more information.StorageGenerally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted samples are stable at < -20°C for 3 months.ShippingThis product is provided as lyophilized powder which is shipped with ice packs.FormulationLyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.	Species	Human
AccessionP05109-1Calculated Molecular Weight10.8 kDaObserved molecular weight13.1 kDaTagN-HisPropertiesPurity> 90 % as determined by reducing SDS-PAGE.EndotoxinPlease contact us for more information.StorageGenerally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.ShippingThis product is provided as lyophilized powder which is shipped with ice packs.FormulationLyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.	Expression Host	E.coli
Calculated Molecular Weight10.8 kDaObserved molecular weight13.1 kDaTagN-HisPropertiesPurity>90 % as determined by reducing SDS-PAGE.EndotoxinPlease contact us for more information.StorageGenerally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.	Sequence	Met1-Glu93
Observed molecular weight13.1 kDaTagN-HisPropertiesPurity> 90 % as determined by reducing SDS-PAGE.EndotoxinPlease contact us for more information.StorageGenerally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.	Accession	P05109-1
TagN-HisPropertiesPurity> 90 % as determined by reducing SDS-PAGE.EndotoxinPlease contact us for more information.StorageGenerally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.	Calculated Molecular Weight	10.8 kDa
PropertiesPurity> 90 % as determined by reducing SDS-PAGE.EndotoxinPlease contact us for more information.StorageGenerally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.ShippingThis product is provided as lyophilized powder which is shipped with ice packs.FormulationLyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.	Observed molecular weight	13.1 kDa
Purity> 90 % as determined by reducing SDS-PAGE.EndotoxinPlease contact us for more information.StorageGenerally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.	Tag	N-His
EndotoxinPlease contact us for more information.StorageGenerally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.	Properties	
StorageGenerally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.	Purity	> 90 % as determined by reducing SDS-PAGE.
-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.	Endotoxin	Please contact us for more information.
FormulationLyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.	Storage	-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots
Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.	Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Reconstitution Please refer to the printed manual for detailed information.	Formulation	Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization.
	Reconstitution	Please refer to the printed manual for detailed information.

Data



> 90 % as determined by reducing SDS-PAGE.

Background

The protein encoded by this gene is a member of the S100 family of proteins containing 2 EF-hand calcium-binding

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Catalog Number:PDEH100024



motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100 genes include at least 13 members which are located as a cluster on chromosome 1q21. This protein may function in the inhibition of casein kinase and as a cytokine. Altered expression of this protein is associated with the disease cystic fibrosis. Multiple transcript variants encoding different isoforms have been found for this gene.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Web: www.elabscience.com Email: techsupport@elabscience.com