

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com


Recombinant Human BMP-7 protein (His tag)

Catalog Number:PDEH100169



Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Description | |
|-----------------------------|---|
| Synonyms | Bone morphogenetic protein 7;BMP-7;Osteogenic protein 1;OP-1;Eptotermin alfa |
| Species | Human |
| Expression Host | E.coli |
| Sequence | Ser 293-His 431 |
| Accession | P18075 |
| Calculated Molecular Weight | 15.2 kDa |
| Observed molecular weight | 15 kDa |
| Tag | N-His |
| Properties | |
| Purity | > 95 % as determined by reducing SDS-PAGE. |
| Endotoxin | Please contact us for more information. |
| Storage | Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months. |
| Shipping | This product is provided as lyophilized powder which is shipped with ice packs. |
| Formulation | Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual. |
| Reconstitution | Please refer to the printed manual for detailed information. |
| Data | |



> 95 % as determined by reducing SDS-PAGE.

Background

BMP-7 (Bone morphogenetic protein 7), also known as osteogenic protein 1 (OP-1), is a bone morphogenetic protein which belongs to the TGF- β superfamily. OP-1 is expressed in the brain, kidneys and bladder. BMP-7 may be involved in bone homeostasis. Osteogenic protein 1 plays a key role in the transformation of mesenchymal cells into bone and cartilage. The phosphorylation of SMAD1 and SMAD5 can be induced by BMP-7, which in turn induce transcription of numerous osteogenic genes. BMP-7 treatment can also induce all of the genetic markers of osteoblast differentiation in many cell types. The expression of BMP-7 causes ventral phenotypes while its complete inhibition creates a dorsal phenotype. Human recombinant BMP-7 protein can be used to aid in the fusion of vertebral bodies to prevent neurologic trauma. It also functions in the treatment of tibial non-union, frequently in cases where a bone graft has failed. It is found

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Catalog Number:PDEH100169



that BMP7 has the potential for treatment of chronic kidney disease.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Web: www.elabscience.com Email: techsupport@elabscience.com