



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Recombinant Human MAP4K5 protein (His tag)

Catalog Number:PDEH100397



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Synonyms	GCKR;KHS;KHS1;MAPKKK5
Species	Human
Expression Host	E.coli
Sequence	Phe 601-Tyr 846
Accession	Q9Y4K4
Calculated Molecular Weight	27.0 kDa
Observed molecular weight	35 kDa
Tag	N-His & C-His

Properties

Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	Please contact us for more information.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.

Background

Mitogen-activated protein kinase kinase kinase kinase 5, also known as Kinase homologous to SPS1/STE20, MAPK/ERK kinase kinase kinase 5, MEK kinase kinase 5 and MAP4K5, is a cytoplasm protein which belongs to the protein kinase superfamily, STE Ser/Thr protein kinase family and STE20 subfamily. MAP4K5 is ubiquitously expressed in all tissues examined, with high levels in the ovary, testis and prostate. It contains one CNH domain and one protein kinase domain. MAP4K5 is highly similar to yeast SPS1/STE20 kinase. Yeast SPS1/STE20 functions near the beginning of the MAP kinase signal cascades that is essential for yeast pheromone response. MAP4K5 has been shown to interact with CRKL and TRAF2. This kinase was shown to activate Jun kinase in mammalian cells. MAP4K5 is an early component of MAP kinase signal cascades. It may play a role in the response to environmental stress. MAP4K5 appears to act upstream of the JUN N-terminal pathway.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Web: www.elabscience.com

Tel: 1-832-243-6086

Email: techsupport@elabscience.com

Fax: 1-832-243-6017