

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com


Recombinant Mouse P?NP protein (GST tag)

Catalog Number:PDEM100054



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Synonyms	Collagen alpha-1(III) chain;Col3a1;CO3A1
Species	Mouse
Expression Host	E.coli
Sequence	Gln 24-Pro 154
Accession	P08121
Calculated Molecular Weight	39.3 kDa
Observed molecular weight	45 kDa
Tag	N-GST
Properties	
Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	Please contact us for more information.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.
Data	



> 95 % as determined by reducing SDS-PAGE.

Background

Collagen alpha-1(III) chain Col3a1 is a secreted protein and belongs to the fibrillar collagen family. It contains 1 fibrillar collagen NC1 domain and 1 VWFC domain. Collagen alpha-1(III) chain is a fibrillar collagen that is found in extensible connective tissues such as skin, lung, and the vascular system, frequently in association with type I collagen. The COL3A1 gene produces the components of type III collagen, called pro-alpha1(III) chains. Three copies of this chain combine to make a molecule of type III procollagen. These triple-stranded, rope-like procollagen molecules must be processed by enzymes outside the cell to remove extra protein segments from their ends. Once these molecules are processed, the collagen molecules arrange themselves into long, thin fibrils. Within these fibrils, the individual collagen molecules are cross-links result in the formation of very strong mature type III collagen fibrils, which

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Catalog Number:PDEM100054



are found in the spaces around cells.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine
Toll-free: 1-888-852-8623 Tel: 1-832-243-6086
Web: www.elabscience.com Email: techsupport@elabscience.com