



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106
Ramona,
CA 92065
USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB06739 - Goat Anti-Tyrosine Hydroxylase Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: TH, tyrosine hydroxylase, HGNC:11782, TYH, DYT14, DYT5b, dystonia 14, tyrosine 3-monooxygenase

Official Symbol: TH

Accession Number(s): NP_954986.2; NP_000351.2; NP_954987.2

Human GeneID(s): [7054](#)

Important Comments: This antibody is expected to recognise all three reported isoforms (as represented by NP_954986.2; NP_000351.2; NP_954987.2).

Immunogen

Peptide with sequence C-VQDELDTLAHAL, from the C Terminus of the protein sequence according to NP_954986.2; NP_000351.2; NP_954987.2.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested


Peptide ELISA: antibody detection limit dilution 1:8000.

IHC: Cryosections of Human Hypothalamus. Recommended dilution range between 1:1000 and 1:10.000.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Rat, Dog



EB06739 immunostaining of dopaminergic neurons in cryosection of an immersion-fixed (4% PFA) human hypothalamus. HRP-staining with Ni-DAB, after Biotin-SP-anti-goat (IgG) method. Data obtained by Drs. Éva Rumpler and Erik Hrabovszky, Inst, Exp, Med, Budapest, Hungary.