



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106
Ramona,
CA 92065
USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB06857 - Goat Anti-DAZL Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: DAZL, deleted in azoospermia-like, HGNC:2685, DAZH, DAZL1, DAZLA, MGC26406, SPGYLA, deleted in azoospermia-like autosomal, germline specific RNA binding protein, spermatogenesis gene on the Y-like autosomal

Official Symbol: DAZL

Accession Number(s): NP_001342.2

Human GeneID(s): [1618](#)

Immunogen

Peptide with sequence C-GNGPQKKSVD, from the internal region of the protein sequence according to NP_001342.2.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Approx 38kDa band observed in Rat Testis lysates (calculated MW of 31.4kDa according to NP_001102884.1). This molecular weight is routinely observed by other sources. Recommended concentration: 0.5-1µg/ml. Primary incubation was 1 hour. Preliminary testing was unsuccessful on Mouse Ovary for this particular batch.

Species Reactivity

Tested: Rat

Expected from sequence similarity: Human, Mouse, Rat, Dog, Cow



EB06857 (1 μ g/ml) staining of Rat Testes lysate (35 μ g protein in RIPA buffer). Detected by chemiluminescence.